


	A	B	C	D	E	F	G	H	I	J	K
1	<b>CIMS SITE</b>		<b>BONET LOCATION</b>		<b>IPs REQUIRED</b>		<b>BLOCK</b>				
2	State and Congress		City Hall roof				4		25		
3	Tremont and Congress		City Hall roof				4		Same		
4	City Hall Camera		City Hall roof				1		Same		
5	1 Beacon St		City Hall roof				3		Same		
6	Walnut park		Walnut Park				42		60		
7	BH Ave -Morton		B3 Station				15		25		
8	BHA Dot Ave		BFD Eng 18				32		50		
9	Jeremiah Burke		BFD Washington St				45		60 IS BONET IN SCHOOL?		
10	Mathers School		BFD Paris St				65		75		
11	Codman Church		BFD 575 BH Ave				16		60		
12	Talbot Ave Boys Club		BFD 575 BH Ave				27		Same		
13	Longfellow Towers		BPD A1				45		60		
14	BH Ave / River / Woodhaven		BPL Roof BH Ave				21		30		

	L	M
1		
2	Note: Subnet mask is 255.255.255.224 (/27)	
3	Note: Default Gateway is 10.100.16.193	
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		

	A	B	C	D	E	F	G	H	I	J	K
1	CIMS SITE		BONET LOCATION		IPs REQUIRED		BLOCK				
2	State and Congress		City Hall roof		4		25		10		
3	Tremont and Congress		City Hall roof		4		Same		10		
4	City Hall Camera		City Hall roof		1		Same		10		
5	1 Beacon St		City Hall roof		3		Same		10		
6	Walnut park		Walnut Park		42		60				
7	BH Ave -Morton		B3 Station				15		25		
8	BHA Dot Ave		BFD Eng 18				32		50		
9	Jeremiah Burke		BFD Washington St				45	60 IS BONET IN SCHOOL?			
10	Mathers School		BFD Paris St				65		75		
11	Codman Church		BFD 575 BH Ave				16	60			
12	Talbot Ave Boys Club		BFD 575 BH Ave				27	Same			
13	Longfellow Towers			BPD A1			45		60		
14	BH Ave / River / Woodhaven		BPL Roof BH Ave				21		30		

	L	M
1		
2	Note: Subnet mask is 255.255.255.224 (/27)	
3	Note: Default Gateway is 10.100.16.193	
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		

	A	B	C	D	E	F	G	H	I
1	CIMS Site	Address/Location Details	Location Contact	Cutover Date	BONET Location	IPs Required	Block	IPs Assigned	Notes
2	State and Congress			Completed	City Hall roof	4	25		Note: Subnet mask is 255.255.255.224 (/27)
3	Tremont and Congress			Completed	City Hall roof	4	Same		Note: Default Gateway is 10.100.16.193
4	City Hall Camera			Completed	City Hall roof	1	Same		
5	1 Beacon St			Completed	City Hall roof	3	Same		
6	Walnut park				Walnut Park	42	60		Confirm 42 IPs are still req'd
7	BH Ave -Morton				B3 Station	15	25		Confirm 15 IPs are still req'd
8	BHA Dot Ave				BFD Eng 18	32	50		Confirm 32 IPs are still req'd
9	Jeremiah Burke				BFD Washington St	45	60		1.) BONET is connected to this school. Note: DoIT will install a neutral (Juniper 3200) switch onsite provided there is room to house it (in a rack) at the school? 2.) Confirm 45 IPs are still req'd.
10	Mathers School				BFD Paris St	65	75		Confirm 65 IPs are still req'd
11	Codman Church				BFD 575 BH Ave	16	60		Confirm 16 IPs are still req'd
12	Talbot Ave Boys Club				BFD 575 BH Ave	27	Same		Confirm 27 IPs are still req'd
13	Longfellow Towers				BPD A1	45	60		Confirm 45 IPs are still req'd
14	BH Ave / River / Woodhaven				BPL Roof BH Ave	21	30		Confirm 21 IPs are still req'd
15									
16									
17									
18		= Work Complete							
19		= Key information required by DoIT							

	A	B	C	D	E	F	G	H	I
1	CIMS Site	Address/Location Details	Location Contact	Cutover Date	BONET Location	IPs Required	Block	IPs Assigned	Notes
2	State and Congress			Completed	City Hall roof	4	25		Note: Subnet mask is 255.255.255.224 (/27)
3	Tremont and Congress			Completed	City Hall roof	4	Same		Note: Default Gateway is 10.100.16.193
4	City Hall Camera			Completed	City Hall roof	1	Same		
5	1 Beacon St			Completed	City Hall roof	3	Same		
6	Walnut park				Walnut Park	42	60		Confirm 42 IPs are still req'd
7	BH Ave -Morton				B3 Station	15	25		Confirm 15 IPs are still req'd
8	BHA Dot Ave				BFD Eng 18	32	50		Confirm 32 IPs are still req'd
9	Jeremiah Burke				BFD Washington St	45	60		1.) BONET is connected to this school. Note: DoIT will install a neutral (Juniper 3200) switch onsite provided there is room to house it (in a rack) at the school? 2.) Confirm 45 IPs are still req'd.
10	Mathers School				BFD Paris St	65	75		Confirm 65 IPs are still req'd
11	Codman Church				BFD 575 BH Ave	16	60		Confirm 16 IPs are still req'd
12	Talbot Ave Boys Club				BFD 575 BH Ave	27	Same		Confirm 27 IPs are still req'd
13	Longfellow Towers				BPD A1	45	60		Confirm 45 IPs are still req'd
14	BH Ave / River / Woodhaven				BPL Roof BH Ave	21	30		Confirm 21 IPs are still req'd
15									
16									
17									
18		= Work Complete							
19		= Key information required by DoIT							

	A	B	C	D	E	F	G	H	I	J
1	BPD UPGRADE CIMS Site	Priority	Address/Location Details	Location Contact & Email(s) for Alarms	Cutover Date (Email BONET Support prior to cut)	BONET Location	IPs Req'd (# of devices in field)	Block (reserve provided by DoIT)	IPs Assigned / Date	Notes & Action Items (2/23/16)
2	BH Ave -Morton	#1	B3 Police Station			B3 Station	15	25	1	
3	Mathers School	#2	BFD Engine #? (Eric)			Mathers School	65	75	1	1.) Brett to provide dmarc of EX3200 in school. 2.) Eric to provide BFD Engine #/location. Note: 18 currently in use; 10.100.30.7-9, 16-17, 23-28, 30-31, 34-38
4	BHA Dot Ave	#3	1875 Dot Ave			BFD Eng 18	32	50	10	
5	Jeremiah Burke (Hub)	#4				BFD Washington St	45	60	10	BONET is connected to this school.
6	Talbot Ave Boys Club	#5	BFD Engine 52 (975 Blue Hill Ave)			BFD Engine 52	27	60	1	2 IPs in use; 10.100.23.41 and 43
7	Codman Church	#6	BFD Engine 52 (975 Blue Hill Ave)			BFD Engine 52	16	60	1	33 IPs in use; 10.100.30.66-72, 77-78, 90-110, 115-121
8	Walnut Park roof	#7	Hub #7			Walnut Park	42	60	10	Note: Juniper MX80 on the roof needs to be configured for new video subnet.
9	Longfellow Towers	#8				BPD A1	45	60	10	1.) 2 hours downtime needs to be scheduled; 2.) Juniper EX3200 needs to be installed; 3.) Jim Fitz will have to rebuild VPN tunnel.
10	BH Ave / River / Woodhaven	#9	BPL Mattapan Branch			BPL Roof BH Ave	21	30		Will need Juniper EX3200 installed onsite - minimal downtime may be incurred. Work to be scheduled with library.
11	State and Congress	✓	City Hall roof		Completed	City Hall roof	4	25		Note: 8 currently in use
12	Tremont and Congress	✓	City Hall roof		Completed	City Hall roof	4	25		Note: Subnet mask is 255.255.255.224 (/27)
13	City Hall Camera	✓	City Hall roof		Completed	City Hall roof	1	25		Note: Default Gateway is 10.100.16.193
14	1 Beacon St	✓	City Hall roof		Completed	City Hall roof	3	25		
15										
16			= Key information required by DoIT				Note: Any site that needs Juniper EX3200 switches installed will require scheduling, downtime (as minimal as possible), configuration & testing. This will also be dependent on the availability of the switches, optics, and other necessary hardware.			
17										
18										

	K	L	M	N	O
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					



	A	B	C	D	E	F	G	H	I	J	K	L
1	BPD UPGRADE CIMS Site	Priority	Location Details	Location Contact & Email(s) for Alarms	Cutover Date (Email BONET Support prior to cut)	BONET Location	IPs Req'd (# of devices in field)	Block (reserve provided by DoIT)	IPs Assigned / Date	Juniper interface	Notes & Action Items (2/23/16)	
2	BH Ave -Morton	#1	B3 Police Station			B3 Station	15	25		uniper EX3200 ge-0/0/2		
3	Mathers School	#2	BFD Engine 17			BFD Engine 17	65	75		uniper EX3200 ge-0/0/2	BONET at the Mathers is a 100MG shared public wireless link. DoIT does NOT recommend using this link. DoIT recommends using the secure BONET link at Engine 17.	
4	BHA Dot Ave	#3	1875 Dot Ave			BFD Eng 18	32	50		uniper EX3200 ge-0/0/3	Note: 18 currently in use; 10.100.30.7-9, 16-17, 23-28, 30-31, 34-38	
5	Jeremiah Burke (Hub)	#4				BFD Washington St	45	60		uniper EX3200 ge-0/0/2		
6	Talbot Ave Boys Club	#5	BFD Engine 52 (975 Blue Hill Ave)			BFD Engine 52	27	Same		uniper EX3200 ge-0/0/3	2 IPs in use; 10.100.23.41 and 43	
7	Codman Church	#6	BFD Engine 52 (975 Blue Hill Ave)			BFD Engine 52	16	60		uniper EX3200 ge-0/0/4	33 IPs in use; 10.100.30.66-72, 77-78, 90-110, 115-121	
8	Walnut Park roof	#7	Hub #7			Walnut Park	42	60		uniper MX80 No assigned port yet	Note: Juniper MX80 on the roof needs to be configured for new video subnet. 1.) Brett to configure.	
9	Longfellow Towers	#8				BPD A1	45	60		uniper EX3200 ge-0/0/2	1.) 2 hours downtime needs to be scheduled; 2.) Juniper EX3200 needs to be installed; 3.) Jim Fitz will have to rebuild VPN tunnel.	
10	BH Ave / River / Woodhaven	#9	BPL Mattapan Branch			BPL Roof BH Ave	21	30		uniper EX3200 ge-0/0/2	Will need Juniper EX3200 installed onsite - minimal downtime may be incurred. Work to be scheduled with library.	
11	State and Congress	✓	City Hall roof		Completed	City Hall roof	4	25		uniper EX3200 ge-0/0/0	Note: 8 currently in use	
12	Tremont and Congress	✓	City Hall roof		Completed	City Hall roof	4	Same		uniper EX3200 ge-0/0/0	Note: Subnet mask is 255.255.255.224 (/27)	
13	City Hall Camera	✓	City Hall roof		Completed	City Hall roof	1	Same		uniper EX3200 ge-0/0/0	Note: Default Gateway is 10.100.16.193	
14	1 Beacon St	✓	City Hall roof		Completed	City Hall roof	3	Same		uniper EX3200 ge-0/0/0		
15												
16		= Key information required by DoIT				Note: Any site that needs Juniper EX3200 switches installed will require scheduling, downtime (as minimal as possible), configuration & testing. This will also be dependent on the availability of the switches, optics, and other necessary hardware.						
17												

	M	N	O	P
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				

	A	B	C	D	E	F	G	H	I	J	K
1	<b>CIMS SITE</b>		<b>BONET LOCATION</b>		<b>IPs REQUIRED</b>		<b>BLOCK</b>				
2	State and Congress		City Hall roof		4		25				
3	Tremont and Congress		City Hall roof		4		Same				
4	City Hall Camera		City Hall roof		1		Same				
5	1 Beacon St		City Hall roof		3		Same				
6	Walnut park		Walnut Park		42		60				
7	BH Ave -Morton		B3 Station		15		25				
8	BHA Dot Ave		BFD Eng 18		32		50				
9	Jeremiah Burke		BFD Washington St		45		60 IS BONET IN SCHOOL?				
10	Mathers School		BFD Paris St		65		75				
11	Codman Church		BFD 575 BH Ave		16		60				
12	Talbot Ave Boys Club		BFD 575 BH Ave		27		Same				
13	Longfellow Towers		BPD A1		45		60				
14	BH Ave / River / Woodhaven		BPL Roof BH Ave		21		30				

	L	M
1		
2	Note: Subnet mask is 255.255.255.224 (/27)	
3	Note: Default Gateway is 10.100.16.193	
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		