



City of Boston Purchase Order

City of Boston

Purchasing Department
One City Hall
Room 808
Boston MA 02201
United States

Dispatched		
Purchase Order	Date	Revision
BOSTN-0000687995	2018-02-21	
Payment Terms	Freight Terms	
00	DES PPD	
Buyer		
Bilodeau,Michele M.		

Vendor: 0000019146
Lan-Tel Communications Inc.
1400 Providence Highway, Building 3, Suite 3100
Norwood MA 02062
United States

Bill To: Auditing Department
One City Hall
Room M-4
Boston MA 02201
United States

Ship To: Mayor's Office of Emergency
Preparedness-Homeland Secur
Boston City Hall -Room 204
One City Hall Plaza
Boston MA 02201
United States

Attention: See Detail Below

Tax Exempt? Y

State Tax Exempt ID: 04-6001380

Line-Sch	Item/Description	Quantity	UOM	PO Price	Extended Amt	Due Date
1 - 1	FATPOT	1.00	EA	240000.00	240000.00	02/26/2018
				Attention: Scott Wilder		
	52940-200-231100-508F-2106-2017-HLS17002	1.00				

POC: Jessica Jones
Jessica.jones@boston.gov/6176351350
U16 2.2 CIMS Maintenance

Contract # 45406 is still pending mm 03/08/18

Total PO Amount

****The above Purchase Order number must be included on all invoices to ensure accurate and timely payment.****

Official Approvals		
I certify that all records regarding this procurement are on file	Approved as to availability of appropriation	
Michele M. Bilodeau	Sally Glora	3/9/2018
Department Head/Purchasing Agent/BPS Business Manager	City Auditor/BPS Business Manager	
This is not a valid purchase order without the above signatures.		



City of Boston Purchase Order

City of Boston

Purchasing Department
One City Hall
Room 808
Boston MA 02201
United States

Dispatched		
Purchase Order	Date	Revision
BOSTN-0000687995	2018-02-21	
Payment Terms	Freight Terms	
00	DES PPD	
Buyer		
Bilodeau,Michele M.		

Vendor: 0000019146
Lan-Tel Communications Inc.
1400 Providence Highway, Building 3, Suite 3100
Norwood MA 02062
United States

Bill To: Auditing Department
One City Hall
Room M-4
Boston MA 02201
United States

Ship To: Mayor's Office of Emergency
Preparedness-Homeland Secur
Boston City Hall -Room 204
One City Hall Plaza
Boston MA 02201
United States

Attention: See Detail Below

Tax Exempt? Y

State Tax Exempt ID: 04-6001380

Line-Sch	Item/Description	Quantity	UOM	PO Price	Extended Amt	Due Date
1 - 1	FATPOT	1.00	EA	240000.00	240000.00	02/26/2018
				Attention: Scott Wilder		
	52940-200-231100-508F-2106-2017-HLS17002	1.00				

POC: Jessica Jones
Jessica.jones@boston.gov/6176351350
U16 2.2 CIMS Maintenance

Contract # 45406 is still pending mm 03/08/18

Total PO Amount

****The above Purchase Order number must be included on all invoices to ensure accurate and timely payment.****

Official Approvals		
I certify that all records regarding this procurement are on file	Approved as to availability of appropriation	
Michele M. Bilodeau	Sally Glora	3/9/2018
Department Head/Purchasing Agent/BPS Business Manager	City Auditor/BPS Business Manager	
This is not a valid purchase order without the above signatures.		



LAN-TEL Communications, Inc.
 1400 Providence Highway
 Suite 3100
 Norwood, MA 02062
 781.551.8599 Fax 781.551.8667
 www.lan-tel.com

MAYOR'S OFFICE OF EMERGENCY
 PREPAREDNESS-HOMELAND SECURITY
 BOSTON CITY HALL-ROOM204
 ONE CITY HALL PLAZA
 BOSTON, MA 02201

INVOICE ID: 9917400
 DRAW ID: 1
 DATE: March 14,2018

SALESPERSON:

CONTRACT ID: 18-5901-35
 CIMS MAINTENANCE 2017 2018
 LOCATION:

CUSTOMER ID: DOINNOV
 PO #: 686927
 Terms: Net 0

PO 0000686927 CONTRACT ID 43933

WORK PERFORMED FOR CITY OF BOSTON CONTRACT # BOSTN-00006558731 & BOSTN-000066207

BILLING FOR FEBRUARY 2018

PROJECT MANAGEMENT:	\$ 1,568.00
FIELD LABOR:	44,779.00
MATERIAL:	0.00

AMOUNT DUE: \$ 46,347.00

ATTN: ACCOUNTS PAYABLE

AMOUNT DUE THIS INVOICE

\$46,347.00

INTEREST @ 1.5% WILL BE CHARGED ON INVOICES OVER 60 DAYS.

	A	B	C	D
1	Date	Employee	Location	Work Performed
2	01-Feb-18	PAPPAS; SEAN M	CIMS - EVERETT	Camera was installed with a modem. The modem wasn't working properly so it was changed out to a radio link. Then landed on the Cims network. 304 Broadway
3	01-Feb-18	PAPPAS; SEAN M	CIMS - WINTHROP Belle Isle	The dome had some condensation on it. I wiped it out and power cycled the camera. The camera powered up but PTZ function isn't working from the server.
4	01-Feb-18	SONET	CIMS Everett Santilli Circle, Everett Fire house	Troubleshoot 120v restore power to both locations
5	01-Feb-18	SONET	CIMS Somerville Broadway and Mt Vernon	Check 120 volt power issues - restored both locations
6	01-Feb-18	SONET	CIMS Boston Quincy and Ceylon	Troubleshoot 120V , enclosure wet , dried out, restored power
7	01-Feb-18	SONET	CIMS Boston Tremont and Oak	Check for constant 120V power at both locations
8	01-Feb-18	SONET	CIMS Quincy Mother Caroline Sea St Neponset River Bridge	Intermittent power issues due to construction Troubleshoot power and found to be ok Check 120 v power, camera keeps cycling on and off and up and down Replace switch
9	01-Feb-18	SONET	CIMS Dorchester Ave, Talbot Street	Service Call, report of low cables across roadway Support cables move to new pole
10	02-Feb-18	PAPPAS; SEAN M	CIMS - EVERETT	Camera was installed with a modem. The modem wasn't working properly so it was changed out to a radio link. Then landed on the Cims network. 304 Broadway
11	02-Feb-18	WASHBURN; GREGORY R	CIMS - EVERETT	Modem would not work, put NanoBeam M5's in Sweetster Cir_304 Hancock Freq 5160/10Mghz SSID- Sweet_304Broad Link is shooting through trees but have an ok signal to work temp. RSL -68 Camera FLIR PTZ. IP 10.0.72.63 Landed and put on server updated 304 Broadway
12	02-Feb-18	WASHBURN; GREGORY R	CIMS - EVERETT	Onsite found demo work being done. Spoke with Electricians and informed that we need some type of temp power done for out cabinet in attic. Extension cable ran to second floor and marked don't touch on it. I was also informed eventually this will go Everett Hancock Fired Dept.
13	02-Feb-18	PAPPAS; SEAN M	CIMS - EVERETT	Camera was going in and out. Occasional green screen. I reset the ribbon cable. 304 Broadway
14	02-Feb-18	WASHBURN; GREGORY R	CIMS - EVERETT	Cam had been randomly disconnecting from server and acting up at server. I had Sean bucket up and reset ribbon cable. after, I reset camera to factory defaults. Had Sean go to Everett cnt cam 3. I went inside to meet with Jeff and added firmware file 304 Broadway
15	02-Feb-18	PAPPAS; SEAN M	CIMS - EVERETT Square	One of the fixed cameras at this site was down. I went and power cycled the camera. I changed switch ports and video came back up. I then rediscovered it on the server.
16	02-Feb-18	REX II; JAMES D	CIMS - BOSTON	The Mather to Pascucio back haul went down affecting approx. 15 cameras. Found radio link reachable through power injector but not through Network Replaced Power Injector
17	02-Feb-18	SAVAGE;MARK	CIMS - BOSTON	Replace camera at Hotel Buckminster
18	03-Feb-18	PAPPAS; SEAN M	CIMS - EVERETT	The camera was down. I went and replaced the camera to a fixed dvtel camera. I erased the old camera from the server. Gave the fixed camera the old ip address to not waste the licenses. Landed it on the server. Videos up and recording. TARGET

	E	F	G	H	I
1	Employee Type	Hours	Pay_ID	Rate	Total
2	Technician Programmer	5	REG	\$109.00	\$545.00
3	Technician Programmer	2	OT	\$125.00	\$250.00
4	SONET 4695	27	REG	\$102.00	\$2,754.00
5	SONET 4696	6	REG	\$102.00	\$612.00
6	SONET 4697	8	REG	\$102.00	\$816.00
7	SONET 4698	8	REG	\$102.00	\$816.00
8	SONET 4699	28	REG	\$102.00	\$2,856.00
9	SONET 4700	9	REG	\$102.00	\$918.00
10	Technician Programmer	4	REG	\$109.00	\$436.00
11	Technician Programmer	6	REG	\$109.00	\$654.00
12	Technician Programmer	2	REG	\$109.00	\$218.00
13	Technician Programmer	1	OT	\$125.00	\$125.00
14	Technician Programmer	1.5	OT	\$125.00	\$187.50
15	Technician Programmer	1.5	OT	\$125.00	\$187.50
16	Technician Programmer	4	OT	\$125.00	\$500.00
17	Technician Programmer	8	REG	\$109.00	\$872.00
18	Technician Programmer	4.5	OT	\$125.00	\$562.50

	A	B	C	D
19	03-Feb-18	SAVAGE;MARK	CIMS - BOSTON	Frontage Road move equipment to make room for barricades
20	04-Feb-18	NISBET; ERIC W.	CIMS - BOSTON PD	Boston PD NVR Software Upgrade Version 8
21	05-Feb-18	NISBET; ERIC W.	CIMS - CHELSEA PD	Ugraded software of Chelsea PD to Version 8
22	05-Feb-18	NISBET; ERIC W.	CIMS - BOSTON PD	Boston PD NVR Software Upgrade Version 8
23	05-Feb-18	SONET	CIMS Quincy Drayton Street	Troubleshoot 120v from cctv cabinet back to traffic control
24	05-Feb-18	SONET	CIMS Boston citywide	Attached CCTV equipment templates on poles with VZ
25	06-Feb-18	NISBET; ERIC W.	CIMS - CHELSEA PD	Ugraded software of Chelsea PD to Version 8
26	06-Feb-18	REX II; JAMES D	CIMS - BOSTON	Gallivan and Dot Ave power outage when server came back up BPD personnel did not have the credentials to log back on OS or Control Central, also questions on video
27	06-Feb-18	WASHBURN; GREGORY R	CIMS - BOSTON	Gallivan and Dot Ave power outage when server came back up BPD personnel did not have the credentials to log back on OS or Control Central, also questions on video
28	06-Feb-18	REX II; JAMES D	CIMS - BOSTON	Boston Common Bandstand , Harrison Hudson check if xmas lights removed causing power issue ; add netgear switch to balance the power
29	07-Feb-18	REX II; JAMES D	CIMS - BOSTON	remove netgear switch add dlink due to North .183 cam failed overnight run 18/2 in case we need to add additional power source
30	07-Feb-18	WASHBURN; GREGORY R	CIMS - BOSTON	Original 180 camera went down over night. Found Netgear switch does not support POE plus. Replace D link which supports both
31	07-Feb-18	REX II; JAMES D	CIMS - BOSTON	trouble shoot radio issue install additional cam/ readjust existing Harrison and Hudson
32	07-Feb-18	WASHBURN; GREGORY R	CIMS - BOSTON	trouble shoot radio issue install additional cam/ readjust existing Harrison and Hudson
33	08-Feb-18	NISBET; ERIC W.	CIMS - CHELSEA PD	Ugraded software of Chelsea PD to Version 8
34	08-Feb-18	NISBET; ERIC W.	CIMS - BOSTON PD	Boston PD NVR Software Upgrade Version 8
35	10-Feb-18	PAPPAS; SEAN M	CIMS - BOSTON	Columbia and Washington This site has a PTZ and 4 fixed cameras. One of the fixed cameras was down no video. Power cycled, and changed the switch ports. Camera back on line
36	10-Feb-18	PAPPAS; SEAN M	CIMS - BOSTON	This site is connected to the system by a modem. Modem isn't pingable. Tech power cycled the modem and it did not come back on line. Modem needs to be replaced. Camera as bagged, waiting on replacement modem Westview and Ames
37	10-Feb-18	PAPPAS; SEAN M	CIMS - SOMERVILLE	Assembly Square and Revolution - site not feeling enough power to our camera. The outlet that we plugged into is only giving out 75 volts. When camera is plugged in only 45 volts. The power needs to be upgraded to 120 volts.
38	10-Feb-18	PAPPAS; SEAN M	CIMS - SOMERVILLE	Beacon and Washington Street modem went down. Tech power cycled and reset the modem. Camera came back up and is viewable on the Somerville Network
39	11-Feb-18	SAVAGE;MARK	CIMS - BOSTON	Mather School no activity light. Power cycled both, switch router and antenna cable

	E	F	G	H	I
19	Technician Programmer	3	OT	\$125.00	\$375.00
20	Software Technician	2	DT	\$180.00	\$360.00
21	Software Technician	3	REG	\$125.00	\$375.00
22	Software Technician	2	REG	\$125.00	\$250.00
23	SONET 4685	11.5	REG	\$102.00	\$1,173.00
24	SONET 4686	28	REG	\$102.00	\$2,856.00
25	Software Technician	3	REG	\$125.00	\$375.00
26	Technician Programmer	1	REG	\$109.00	\$109.00
27	Technician Programmer	1	REG	\$109.00	\$109.00
28	Technician Programmer	4	REG	\$109.00	\$436.00
29	Technician Programmer	4	REG	\$109.00	\$436.00
30	Technician Programmer	4	REG	\$109.00	\$436.00
31	Technician Programmer	2	REG	\$109.00	\$218.00
32	Technician Programmer	2	REG	\$109.00	\$218.00
33	Software Technician	4	REG	\$125.00	\$500.00
34	Software Technician	2	REG	\$125.00	\$250.00
35	Technician Programmer	2	OT	\$125.00	\$250.00
36	Technician Programmer	1	OT	\$125.00	\$125.00
37	Technician Programmer	1	OT	\$125.00	\$125.00
38	Technician Programmer	1	OT	\$125.00	\$125.00
39	Technician Programmer	4	DT	\$159.00	\$636.00

	A	B	C	D
40	13-Feb-18	WASHBURN; GREGORY R	CIMS - BOSTON	This site is connected to the system by a modem. Modem isn't pingable. Tech power cycled the modem and it did not come back on line. Modem needs to be replaced. Camera as bagged, waiting on replacement modem Westview and Ames
41	13-Feb-18	PAPPAS; SEAN M	CIMS - SOMERVILLE	Assembly Square and Revolution - site not feeling enough power to our camera. The outlet that we plugged into is only giving out 75 volts. When camera is plugged in only 45 volts. The power needs to be upgraded to 120 volts.
42	14-Feb-18	WASHBURN; GREGORY R	CIMS - BOSTON	Mather to 35 N.Hampton link issues. Onsite found Radio link up, but had been bouncing prior with intermitting issues. Checked Cat5 good., was notified by Eric that Fred wanted to remote in also and look at. He read #'s off remotely while I realigned
43	14-Feb-18	WASHBURN; GREGORY R	CIMS - QUINCY Hancock and Merrymount	Cam needed Pwr cycle
44	14-Feb-18	REX II; JAMES D	CIMS - EVERETT	Everett South PTZ cam down. Replaced with RMA with Mark.. Found Rocket that feeds Everett Radio was up but had no Lan connection. Radio bad replaced. Also found several bad ports on HP switch. Replaced with a managed Dlink and gave it a IP.
45	14-Feb-18	SAVAGE;MARK	CIMS - EVERETT	Everett South PTZ cam down. Replaced with RMA with Mark.. Found Rocket that feeds Everett Radio was up but had no Lan connection. Radio bad replaced. Also found several bad ports on HP switch. Replaced with a managed Dlink and gave it a IP.
46	14-Feb-18	WASHBURN; GREGORY R	CIMS - EVERETT	Everett South PTZ cam down. Replaced with RMA with Mark.. Found Rocket that feeds Everett Radio was up but had no Lan connection. Radio bad replaced. Also found several bad ports on HP switch. Replaced with a managed Dlink and gave it a IP.
47	14-Feb-18	PAPPAS; SEAN M	CIMS - WINTHROP Shirley Street	On 2/14/18 this fixed camera wasn't displaying video. I went and power cycled the camera and rediscovered it on the system and it came back up.
48	14-Feb-18	SONET	CIMS Boston	Check power at DOT/Talbot for hanging cable
49	15-Feb-18	PAPPAS; SEAN M	CIMS - WINTHROP Shirley Street	It went back down on 2/15/18. I had to get into the Fire department to the switch. It was a bad switch port. Changed switch ports and got the camera back up on the server.
50	15-Feb-18	PAPPAS; SEAN M	CIMS - REVERE	Ambrose Park camera was down. I went to the site and radio link was god but camera wasn't showing video. I reset the power connector and the rj45 into the camera and the video came back up. The camera is back up on the server.
51	15-Feb-18	SAVAGE;MARK	CIMS - BOSTON	McArdle Bridge homicide video assistance
52	16-Feb-18	PAPPAS; SEAN M	CIMS - REVERE	Liberty Park troubleshoot camera. Camera back on line
53	17-Feb-18	WASHBURN; GREGORY R	CIMS - EVERETT	In morning Painted Nema and prepped cam for Bosch replacement. Onsite found that cam was feed coax. E.J had me leave and we will pull cat5 to building early one morning when traffic is slow. Lower Broadway camera
54	17-Feb-18	WASHBURN; GREGORY R	CIMS - SOMERVILLE	No Power in Nema, Check photo cell dead. Looked for Breaker box but could not find. updated E.J , Had me pull everything down.
55	17-Feb-18	WASHBURN; GREGORY R	CIMS - SOMERVILLE	Replaced Cam Mount Vernon and Broadway with PTZ from Mercedes. Had several hang ups. But ended up putting new cat5 from radio to POE inj. added a netgear POE switch. Dropped modulation on radio from 10Mghz to 5Mghz. RSL was -78 now -69.
56	17-Feb-18	PAPPAS; SEAN M	CIMS - CHELSEA	Williams and Spruce This sites camera was down. Not showing video. The connections to the camera were reset. The camera came back up on the system. Its's now view able on the system

	E	F	G	H	I
40	Technician Programmer	2	OT	\$125.00	\$250.00
41	Technician Programmer	2	REG	\$109.00	\$218.00
42	Technician Programmer	2.5	OT	\$125.00	\$312.50
43	Technician Programmer	1	OT	\$125.00	\$125.00
44	Technician Programmer	6	REG	\$109.00	\$654.00
45	Technician Programmer	8	REG	\$109.00	\$872.00
46	Technician Programmer	6	REG	\$109.00	\$654.00
47	Technician Programmer	1	REG	\$109.00	\$109.00
48	SONET 4702	27	REg	\$102.00	\$2,754.00
49	Technician Programmer	1	REG	\$109.00	\$109.00
50	Technician Programmer	1	REG	\$109.00	\$109.00
51	Technician Programmer	1	OT	\$125.00	\$125.00
52	Technician Programmer	1	REG	\$109.00	\$109.00
53	Technician Programmer	3	OT	\$125.00	\$375.00
54	Technician Programmer	2	OT	\$125.00	\$250.00
55	Technician Programmer	4	OT	\$125.00	\$500.00
56	Technician Programmer	1	OT	\$125.00	\$125.00

	A	B	C	D
57	17-Feb-18	PAPPAS; SEAN M	CIMS - CHELSEA	Margolis Pharmacy This site has 2 fixed cameras and a PTZ. The PTZ was down and not showing video. I reset the connectors to the PTZ. I power cycled the switch and the camera came back up. It's now view able on the system.
58	17-Feb-18	PAPPAS; SEAN M	CIMS - CHELSEA	Chelsea Walk Pub This site was down. The radio wasn't connected to the system. It had to be reset and brought back up on the system. The radios are now talking to each other and cameras are back up.
59	17-Feb-18	PAPPAS; SEAN M	CIMS - SOMERVILLE	Mt Vernon The fixed camera was down. I got it back up on the system by resetting the radio injector .The camera then went back down. Greg was going back to change out the camera to a PTZ.
60	17-Feb-18	PAPPAS; SEAN M	CIMS - SOMERVILLE	Powder House Square This site was on a modem. The modem wasn't responding to pings. The camera was view able locally, but not on the system. I went and power cycled the modem and was able to get the camera to come back up. It's not up on the network.
61	17-Feb-18	PAPPAS; SEAN M	CIMS - SOMERVILLE	Beacon and Washington Street This just needed a quick reboot. It was reset and came back up on the system.
62	17-Feb-18	PAPPAS; SEAN M	CIMS - BROOKLINE	Beacon and Chestnut reset camera
63	17-Feb-18	NISBET; ERIC W.	CIMS - CHELSEA	Adding servers to the city network
64	17-Feb-18	WASHBURN; GREGORY R	CIMS - SOMERVILLE	Mt Vernon The fixed camera was down. I got it back up on the system by resetting the radio injector .The camera then went back down. Greg was going back to change out the camera to a PTZ.
65	20-Feb-18	PAPPAS; SEAN M	CIMS - WINTHROP Fire Dept. Shirley Street	this fixed camera wasn't displaying video. I went and power cycled the camera and rediscovered it on the system and it came back up.
66	20-Feb-18	PAPPAS; SEAN M	CIMS - REVERE Central Fire	Both radios and the street cam was down at this site. I changed out the switch and the radio injector on the roof. The radios linked back up again and camera was view able on system.
67	20-Feb-18	WASHBURN; GREGORY R	CIMS - REVERE Central Fire	Both radios and the street cam was down at this site. I changed out the switch and the radio injector on the roof. The radios linked back up again and camera was view able on system.
68	20-Feb-18	PAPPAS; SEAN M	CIMS - BOSTON Norfolk and Evelyn	This modem was down. I went to the site to reset it but there was an 18 wheeler parked right underneath the camera. No matter what angle I tried to get the bucket up to this camera I couldn't reach it. Another tech was being sent out to fix it the next day.
69	20-Feb-18	WASHBURN; GREGORY R	CIMS - REVERE	The camera was down at Central Fire on Broadway. After trouble shooting the camera on the street, it was determined that it was the radio on the roof of central fire. I went up there and power cycled the injector for the radio and got it back on the system. The camera is back up and view able on the system.
70	20-Feb-18	WASHBURN; GREGORY R	CIMS - QUINCY QD	Camera needed power cycle
71	21-Feb-18	WASHBURN; GREGORY R	CIMS - BOSTON D4 Roof	Airaya radio back down to Naval Blood Research Lab roof. Reboot of radio. Need to replace radio
72	23-Feb-18	SONET	CIMS Boston Arlington and Boylston Street	Intermittent power issues in the area, check all connections at control boxes, HH, and pole bases, reterminate all connection, replace in line fuse assemblies at 2 locations
73	23-Feb-18	SONET	CIMS Somerville Revolution Road	73 volts found at camera controls, check power at Holland Park and Mount Vernon Stand reterminate connections from camera to 120 volt power source
74	24-Feb-18	WASHBURN; GREGORY R	CIMS - BROOKLINE Beacon and Harvard PTZ	(Factory reset, Firmware, ribbon cable, did not work drove to Norwood to pick up RMA.

	E	F	G	H	I
57	Technician Programmer	1	OT	\$125.00	\$125.00
58	Technician Programmer	2	OT	\$125.00	\$250.00
59	Technician Programmer	1	OT	\$125.00	\$125.00
60	Technician Programmer	2	OT	\$125.00	\$250.00
61	Technician Programmer	0.5	OT	\$125.00	\$62.50
62	Technician Programmer	0.5	OT	\$125.00	\$62.50
63	Software Technician	2	OT	\$145.00	\$290.00
64	Technician Programmer	9	OT	\$125.00	\$1,125.00
65	Technician Programmer	2	OT	\$125.00	\$250.00
66	Technician Programmer	3	REG	\$109.00	\$327.00
67	Technician Programmer	2.5	REG	\$109.00	\$272.50
68	Technician Programmer	1.5	OT	\$125.00	\$187.50
69	Technician Programmer	2.5	REG	\$109.00	\$272.50
70	Technician Programmer	1	OT	\$125.00	\$125.00
71	Technician Programmer	1.5	OT	\$125.00	\$187.50
72	SONET 4706	23	REG	\$102.00	\$2,346.00
73	SONET 4705	16	Reg	\$102.00	\$1,632.00
74	Technician Programmer	4.5	OT	\$125.00	\$562.50

	A	B	C	D
75	24-Feb-18	WASHBURN; GREGORY R	CIMS - REVERE Fire Dept.	Replaced bad nano station. LAN port would drop off from radio.
76	24-Feb-18	WASHBURN; GREGORY R	CIMS - REVERE Liberty Sq. QD	Replaced Modem and also replaced cat 5 to cam.
77	24-Feb-18	WASHBURN; GREGORY R	CIMS - WINTHROP Shirley FD	RE-IP camera for suspected duplicate IP
78	26-Feb-18	REX II; JAMES D	CIMS - BOSTON Tremont and Lenox	NO power reset camera
79	26-Feb-18	REX II; JAMES D	CIMS - BOSTON Stanwood and Laredo	Onsite found cam .106 not pingable through netgear switch power cycle switch ports- verify up check radio connectivity
80	26-Feb-18	REX II; JAMES D	CIMS - BOSTON DOT Ave and Welles	Onsite found no power in Nema all traffic signals at intersection flashing yellow traffic control box across street wrapped up/possibly struck power returned at 1250pm
81	26-Feb-18	REX II; JAMES D	CIMS - BOSTON DOT Ave and Columbia	onsite found BTM working at intersection with one of the pedestals removed-possibly was hit they didn't think their work was affecting our power,but to much of a coincidence could not verify no power due to BTM truck waiting for them to complete wo
82	26-Feb-18	REX II; JAMES D	CIMS - EVERETT Ferry Street	onsite met with Housing maintenance and electricians where swapping out a sub panel on 11th floor affecting our power and Everett fire alarm. power returned at 1:10pm verified everything is up EHA maintenance didn't think there where going to be a
83	27-Feb-18	SONET	CIMS Boston Lenox and Tremont	Assist with 120 volt power issue, inspect handholes and reterminate as needed, replace in line 15 amp fuse assembly damaged
84	27-Feb-18	SONET	CIMS Boston, Boston Common Bandstand	Trouble shoot 120 volt issues, inspected wiring found no issues, access public works garage and re-energized circuit breaker
85	27-Feb-18	SONET	CIMS Boston Monument and Medford Street	De-Energize CCTV equipment due to street being dug up to prevent electrical surge when re- energized
86	27-Feb-18	WASHBURN; GREGORY R	CIMS - BOSTON D4 BONET	2/27/18 Airaya radio back down. Radio will be replaced with BPD equipment
87	28-Feb-18	PAPPAS; SEAN M	BPD A1	On 2/28/18 we had to move a site on Harrison & Essex to a new pole. Crown Castle is removing the existing pole our equipment was on. This site had a PTZ and 4 fixed cameras along with 2 radios. They were powered down and re installed on the new pole.
88	28-Feb-18	PAPPAS; SEAN M	CIMS - CHELSEA Central Highlands	This site was down and not showing video. I could see the camera locally but not remotely when it was in the switch. I changed switch ports and re attached the power adapter and cat5 connection to the camera and it came back up. Camera is now back up and recording.
89	01-Feb-18	SONET	CIMS Revere Ambrose Park	Reset Power supply to NEMA enclosure

	E	F	G	H	I
75	Technician Programmer	2.5	OT	\$125.00	\$312.50
76	Technician Programmer	2.5	OT	\$125.00	\$312.50
77	Technician Programmer	2	OT	\$125.00	\$250.00
78	Technician Programmer	0.5	REG	\$109.00	\$54.50
79	Technician Programmer	1	REG	\$109.00	\$109.00
80	Technician Programmer	1	REG	\$109.00	\$109.00
81	Technician Programmer	1	REG	\$109.00	\$109.00
82	Technician Programmer	1.5	REG	\$109.00	\$163.50
83	SONET 4726	11.5	REG	\$102.00	\$1,173.00
84	SONET 4725	8	REG	\$102.00	\$816.00
85	SONET 4728	6	REG	\$102.00	\$612.00
86	Technician Programmer	1.5	OT	\$125.00	\$187.50
87	Technician Programmer	7	REG	\$109.00	\$763.00
88	Technician Programmer	2	OT	\$125.00	\$250.00
89	SONET 4727	4	REG	\$102.00	\$408.00

	A	B	C	D
1		LAN-TEL Communications, Inc.		
2		Billing for CIMS Project - Material Costs		
3		Feb-18		
4	Date of Service/Purchase	Location	Material Provided	Material Cost
5				
6		Nothing to Report		
7				
8				
9				
10				
11				
12			Total Material Costs	\$0.00

	A	B	C	D	E	F
1			LAN-TEL Communications, Inc.			
2			Billing for CIMS Project - Project Management Costs			
3			Feb-18			
4	Date of Service	Location	Work Performed	# Hours	Rate	Total
5	2/2/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
6	2/6/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
7	2/9/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
8	2/12/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
9	2/16/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
10	2/19/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
11	2/22/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
12	2/26/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
13				Total	16	\$1,568.00

	G
1	
2	
3	
4	Special Event, PSNET or CIMS
5	
6	
7	
8	
9	
10	
11	
12	
13	

	A	B	C	D
1	February Labor Totals			
2	Labor Type	Hours	Total	
3	LAN-TEL Labor regular rate	89	\$9,701.00	
4	LAN-TEL Labor overtime rate	76	\$9,500.00	
5	LAN-TEL Software Tech double time rate	4	\$636.00	
6	LAN-TEL Software Tech rate	14	\$1,750.00	
7	LAN-TEL Software Tech overtime rate	2	\$290.00	
8	LAN-TEL Software Tech double time rate	2	\$360.00	
9	Sonet	221	\$22,542.00	
10	Total Labor	408	\$44,779.00	
11				
12	Total Project Management Labor	16	\$1,568.00	
13	Total Labor & PM			\$46,347.00
14	February Material Totals			
15	Total PTZ DvTel Cameras	0	\$0.00	
16	Total Fixed DvTel Cameras	0	\$0.00	
17	Total Power Supplies	0	\$0.00	
18	Total Bucket Truck Rentals (LAN-TEL & Sonet)	0	\$0.00	
19	Total Adapters	0	\$0.00	
20	Total Encoders	0	\$0.00	
21	Total NEMA Enclosures	0	\$0.00	
22	Total Astro Brackets	0	\$0.00	
23	Total Antennas & Assoc. Equipment	0	\$0.00	
24	Total Cable & Assoc. Hardware	-	\$0.00	
25	Total POEs	0	\$0.00	
26	Total Misc. Equipment	-	\$0.00	
27	Total Material Used			\$0.00
28				
29	Total Billing for February 2018			\$46,347.00



City of Boston Purchase Order

City of Boston

Purchasing Department
One City Hall
Room 808
Boston MA 02201
United States

Dispatched		
Purchase Order BOSTN-0000688689	Date 2018-03-14	Revision
Payment Terms Net 30	Freight Terms DES PPD	
Buyer Chan,Joey		

Vendor: 0000019146
Lan-Tel Communications Inc.
1400 Providence Highway, Building 3, Suite 3100
Norwood MA 02062
United States

Bill To: Auditing Department
One City Hall
Room M-4
Boston MA 02201
United States
Ship To: Purchasing Department
One City Hall
Room 808
Boston MA 02201
United States
Attention: Not Specified

Tax Exempt? Y

State Tax Exempt ID: 04-6001380

Contract ID: 000000000000000000045548

Line-Sch	Item/Description	Quantity	UOM	PO Price	Extended Amt	Due Date
1 - 1	Furnish and install (1) Mitsubishi Model #PKA-A30KA7 interior cooling and heating with a 2.5 ton wall mount ductless air conditioning unit.	1.00	EA	4700.00	4700.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				
2 - 1	Furnish and install (1) Mitsubishi Model #PUY-A30NHA7 exterior condensing unit	1.00	EA	4661.00	4661.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				
3 - 1	Furnish and install (1) 30 amp 1 phase 208-230 volt circuit and disconnect condenser unit	1.00	EA	1500.00	1500.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				
4 - 1	Furnish and install (1) 20 amp 1 phase circuit to interior air handler	1.00	EA	2000.00	2000.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				
5 - 1	Furnish and install HVAC piping and condensate pump	1.00	EA	3800.00	3800.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				



City of Boston Purchase Order

City of Boston

Purchasing Department
One City Hall
Room 808
Boston MA 02201
United States

Dispatched		
Purchase Order	Date	Revision
BOSTN-0000688689	2018-03-14	
Payment Terms	Freight Terms	
Net 30	DES PPD	
Buyer		
Chan,Joey		

Vendor: 0000019146
Lan-Tel Communications Inc.
1400 Providence Highway, Building 3, Suite 3100
Norwood MA 02062
United States

Bill To: Auditing Department
One City Hall
Room M-4
Boston MA 02201
United States
Ship To: Purchasing Department
One City Hall
Room 808
Boston MA 02201
United States
Attention: Not Specified

Tax Exempt? Y

State Tax Exempt ID: 04-6001380

Contract ID: 000000000000000000045548

Line-Sch	Item/Description	Quantity	UOM	PO Price	Extended Amt	Due Date
----------	------------------	----------	-----	----------	--------------	----------

Total PO Amount

****The above Purchase Order number must be included on all invoices to ensure accurate and timely payment.****

Official Approvals		
I certify that all records regarding this procurement are on file	Approved as to availability of appropriation	
Gerard Bonaceto	Sally Glora	3/15/2018
Department Head/Purchasing Agent/BPS Business Manager	City Auditor/BPS Business Manager	

This is not a valid purchase order without the above signatures.



LAN-TEL Communications, Inc.
1400 Providence Highway
Suite 3100
Norwood, MA 02062
781.551.8599 Fax 781.551.8667
www.lan-tel.com

MAYOR'S OFFICE OF EMERGENCY
PREPAREDNESS-HOMELAND SECURITY
BOSTON CITY HALL-ROOM204
ONE CITY HALL PLAZA
BOSTON, MA 02201

INVOICE ID: 9917523
DRAW ID: 2
DATE: March 31,2018

CONTRACT ID: 18-5901-35
CIMS MAINTENANCE 2017 2018
LOCATION:

SALESPERSON:
CUSTOMER ID: DOINNOV
PO #: 686927
Terms: Net 0

PO 0000686927 CONTRACT ID 43933

WORK PERFORMED FOR CITY OF BOSTON CONTRACT # BOSTN-00006558731 & BOSTN-000066207

BILLING FOR MARCH 2018

PROJECT MANAGEMENT:	\$	0.00
FIELD LABOR:		68,066.00
MATERIAL:		0.00

AMOUNT DUE: \$ 68,066.00

ATTN: ACCOUNTS PAYABLE

AMOUNT DUE THIS INVOICE

\$68,066.00

INTEREST @ 1.5% WILL BE CHARGED ON INVOICES OVER 60 DAYS.



LAN-TEL Communications, Inc.
1400 Providence Highway
Suite 3100
Norwood, MA 02062
781.551.8599 Fax 781.551.8667
www.lan-tel.com

OFFICE OF EMERGENCY MANAGEMENT
1 CITY HALL SQUARE
ROOM 204
ATTN JESSICA JONES
BOSTON, MA 02201

INVOICE ID: 9917574
DRAW ID: 2
DATE: April 30.2018

CONTRACT ID: 18-0098-20
HVAC FOR SECURITY EQUIPMENT-Bo
LOCATION:

SALESPERSON:
CUSTOMER ID: BOSTOEM
PO #: BOSTN-000068868
Terms: Net 0

WORK PERFORMED OVERSEE HVAC WORK FOR VITAL BETWORK SECURITY EQUIPMENT HOUSED AT
WINTHROP WATER TOWER. PO # BOSTN-0000688689 CONTRACT ID # 000000000000000000045548

AMOUNT DUE: \$ 16,661.50

ATTN: JESSICA JONES

AMOUNT DUE THIS INVOICE

\$16,661.00

INTEREST @ 1.5% WILL BE CHARGED ON INVOICES OVER 60 DAYS.



LAN-TEL Communications, Inc.
1400 Providence Highway
Suite 3100
Norwood, MA 02062
781.551.8599 Fax 781.551.8667
www.lan-tel.com

MAYOR'S OFFICE OF EMERGENCY
PREPAREDNESS-HOMELAND SECURITY
BOSTON CITY HALL-ROOM204
ONE CITY HALL PLAZA
BOSTON, MA 02201

INVOICE ID: 9917575
DRAW ID: 4
DATE: April 30.2018

CONTRACT ID: 18-5901-35
CIMS MAINTENANCE 2017 2018
LOCATION:

SALESPERSON:
CUSTOMER ID: DOINNOV
PO #: 686927
Terms: Net 0

PO 0000686927 CONTRACT ID 43933

WORK PERFORMED FOR CITY OF BOSTON CONTRACT # BOSTN-00006558731 & BOSTN-000066207

BILLING FOR APRIL 2018

PROJECT MANAGEMENT: \$ 1,568.00
FIELD LABOR: 35,071.00
MATERIAL: 0.00

AMOUNT DUE: \$ 36,639.00

ATTN: ACCOUNTS PAYABLE

AMOUNT DUE THIS INVOICE

\$36,639.00

INTEREST @ 1.5% WILL BE CHARGED ON INVOICES OVER 60 DAYS.

	A	B	C	D
1	February Labor Totals			
2	Labor Type	Hours	Total	
3	LAN-TEL Labor regular rate	89	\$9,701.00	
4	LAN-TEL Labor overtime rate	76	\$9,500.00	
5	LAN-TEL Software Tech double time rate	4	\$636.00	
6	LAN-TEL Software Tech rate	14	\$1,750.00	
7	LAN-TEL Software Tech overtime rate	2	\$290.00	
8	LAN-TEL Software Tech double time rate	2	\$360.00	
9	Sonet	221	\$22,542.00	
10	Total Labor	408	\$44,779.00	
11				
12	Total Project Management Labor	16	\$1,568.00	
13	Total Labor & PM			\$46,347.00
14	February Material Totals			
15	Total PTZ DvTel Cameras	0	\$0.00	
16	Total Fixed DvTel Cameras	0	\$0.00	
17	Total Power Supplies	0	\$0.00	
18	Total Bucket Truck Rentals (LAN-TEL & Sonet)	0	\$0.00	
19	Total Adapters	0	\$0.00	
20	Total Encoders	0	\$0.00	
21	Total NEMA Enclosures	0	\$0.00	
22	Total Astro Brackets	0	\$0.00	
23	Total Antennas & Assoc. Equipment	0	\$0.00	
24	Total Cable & Assoc. Hardware	-	\$0.00	
25	Total POEs	0	\$0.00	
26	Total Misc. Equipment	-	\$0.00	
27	Total Material Used			\$0.00
28				
29	Total Billing for February 2018			\$46,347.00

1	A	B	C	D	E	F
	Date	Employee	Location	Work Performed	Employee Type	Hours
2	02-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON Jeremiah Burke	Convert 89 cameras and approx. 70 radios to 4 segmented Bonet ports at Jburke Upgrade all radio firmware	Technician Programmer	2
3	02-Apr-18	REX II; JAMES D	CIMS - BOSTON	BHA Columbia Radio Issues - add radio link from BHA Columbia to BHA server, land x3 cams on jburke bonet	Technician Programmer	6
4	02-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON	at end of day found intermapper had equipment down. Back on site reboot of radio brought radio back up and monitored for 10min. Went back down again. Changed out Nano station at BHA&Seaver. Link good now.	Technician Programmer	3
5	02-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON	at end of day found intermapper had equipment down. Back on site reboot of radio brought radio back up and monitored for 10min. Went back down again. Changed out Nano station at BHA&Seaver. Link good now.	Technician Programmer	3.5
6	02-Apr-18	REX II; JAMES D	CIMS - BOSTON 19 Melbourne	Location that was down was Melbourne/Brent. @ 19Melborn found radio was up but did not have any associations. At Melbourne/Brent found radio was hung up. Power cycled and upgraded firmware of Radio link.	Technician Programmer	2
7	02-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON Melbourne	19 Melbourne to Melbourne/brent? link down, power cycle remote end up rev firmware on radio link- verify x2 cams are up on server	Technician Programmer	3
8	02-Apr-18	NISBET; ERIC W.	CIMS - CHELSEA	Transcoder issue	Software Technician	4
9	02-Apr-18	NISBET; ERIC W.	CIMS - CHELSEA	Transcoder issue	Software Technician	4
10	03-Apr-18	PAPPAS; SEAN M	CIMS - CHELSEA	The site at Washington & Lash had 2 radios and a camera. We had to take it down per request of the city of Chelsea. This pole is being removed. We will be putting it back once the removal is complete.	Technician Programmer	3

	G	H	I
1	Pay_ID	Rate	Total
2	REG	\$109.00	\$218.00
3	REG	\$109.00	\$654.00
4	REG	\$109.00	\$327.00
5	OT	\$125.00	\$437.50
6	REG	\$109.00	\$218.00
7	REG	\$109.00	\$327.00
8	REG	\$125.00	\$500.00
9	REG	\$125.00	\$500.00
10	REG	\$109.00	\$327.00

	A	B	C	D	E	F
11	03-Apr-18	PAPPAS; SEAN M	CIMS - CHELSEA	The site at Washington & Lash had 2 radios and a camera. We had to take it down per request of the city of Chelsea. This pole is being removed. We will be putting it back once the removal is complete.	Technician Programmer	1.5
12	03-Apr-18	REX II; JAMES D	CIMS - Boston	run new cat5/18-2 for ptz remove existing camera, install flir upgrade firmware 20 radio links on .65 network	Technician Programmer	1
13	03-Apr-18	REX II; JAMES D	CIMS - Boston	After radio upgrades -Mass/St.Botolph and Mass/Columbus needed a power cycle	Technician Programmer	8
14	03-Apr-18	NISBET; ERIC W.	CIMS - CHELSEA	Transcoder issue	Software Technician	2
15	03-Apr-18	NISBET; ERIC W.	CIMS - CHELSEA	Transcoder issue	Software Technician	2
16	04-Apr-18	PAPPAS; SEAN M	CIMS - CHELSEA	The site at Washington & Lash had 2 radios and a camera. We had to take it down per request of the city of Chelsea. This pole is being removed. We will be putting it back once the removal is complete.	Technician Programmer	1
17	04-Apr-18	WASHBURN; GREGORY R	CIMS Boston	Buckminster Cam 10.0.65.119 Replaced old cam no video. New housing custom mount ran cat5 and 18/2. 200' // Upgraded firmware on several links 52 radios. // Mass Columbus and Boldof went down.. Had to pwr cycle both locations.	Technician Programmer	8
18	04-Apr-18	WASHBURN; GREGORY R	CIMS Boston	Buckminster Cam 10.0.65.119 Replaced old cam no video. New housing custom mount ran cat5 and 18/2. 200' // Upgraded firmware on several links 52 radios. // Mass Columbus and Boldof went down.. Had to pwr cycle both locations.	Technician Programmer	1
19	04-Apr-18	REX II; JAMES D	CIMS Boston	Run new Cat 5 /182 for new ptz, remove pelco esprit, install flir, Uprev 20 radion links on .5 network	Technician Programmer	1.5
20	04-Apr-18	WASHBURN; GREGORY R	CIMS Boston	After Radio upgrades Mass/St Botolph, and Mass/Columbus needed a power recycle	Technician Programmer	1.5
21	04-Apr-18	REX II; JAMES D	CIMS - BOSTON 222 Berkeley	Replace PTZ with new style FLIR/check cabling, sure up infrastructure, pull LMR cable into lower nema	Technician Programmer	5
22	04-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON 222 Berkeley	Replace PTZ with new style FLIR/check cabling, sure up infrastructure, pull LMR cable into lower nema	Technician Programmer	5.5
23	09-Apr-18	PAPPAS; SEAN M	CIMS - BROOKLINE Beacon, Harvard, St. Paul and Kent	Moved Ptz at Beacon/St Paul got it powered, but it still needs to be connected with a radio and landed.	Technician Programmer	2
24	09-Apr-18	REX II; JAMES D	CIMS - BROOKLINE Beacon, Harvard, St. Paul and Kent	Moved ptz/radio at beacon Harvard-no power-,waiting onj city to turn on xmas lights circuit	Technician Programmer	2.5
25	09-Apr-18	WASHBURN; GREGORY R	CIMS - BROOKLINE Beacon, Harvard, St. Paul and Kent	Moved ptz/radio at beacon Harvard-no power-,waiting onj city to turn on xmas lights circuit	Technician Programmer	2.5
26	10-Apr-18	REX II; JAMES D	CIMS - BOSTON Arlington, Boylston	Moved ptz,x2fixed x1radio-verify upon system	Technician Programmer	3
27	10-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON Arlington, Boylston	Moved ptz,x2fixed x1radio-verify upon system	Technician Programmer	3
28	10-Apr-18	PAPPAS; SEAN M	CIMS - REVERE	I had to go to RPD in the dispatch center they're monitors with the camera feed was frozen. Had to reset and get it back working properly. The switch didn't have power at Seaview Tower. The breaker had tripped. I met with the electric	Technician Programmer	2
29	10-Apr-18	PAPPAS; SEAN M	CIMS - REVERE	I had to go to RPD in the dispatch center they're monitors with the camera feed was frozen. Had to reset and get it back working properly. The switch didn't have power at Seaview Tower. The breaker had tripped. I met with the electrician while i was there. He's going to give us a dedicated outlet to hopefully resolve this issue.	Technician Programmer	2

	G	H	I
11	OT	\$125.00	\$187.50
12	OT	\$125.00	\$125.00
13	REG	\$109.00	\$872.00
14	REG	\$125.00	\$250.00
15	REG	\$125.00	\$250.00
16	REG	\$109.00	\$109.00
17	REG	\$109.00	\$872.00
18	OT	\$125.00	\$125.00
19	REG	\$109.00	\$163.50
20	REG	\$109.00	\$163.50
21	REG	\$109.00	\$545.00
22	REG	\$109.00	\$599.50
23	REG	\$109.00	\$218.00
24	REG	\$109.00	\$272.50
25	REG	\$109.00	\$272.50
26	REG	\$109.00	\$327.00
27	REG	\$109.00	\$327.00
28	OT	\$125.00	\$250.00
29	REG	\$109.00	\$218.00

	A	B	C	D	E	F
30	10-Apr-18	REX II; JAMES D	CIMS - BOSTON Clarendon to Dartmouth BPL	troubleshoot BPLib-clarendon radio link- very noisy- replace x1 radio run new cat5 at clarendon side to get radio off poe pass thru, ongoing issue	Technician Programmer	2
31	10-Apr-18	REX II; JAMES D	CIMS - BOSTON Clarendon to Dartmouth BPL	troubleshoot BPLib-clarendon radio link- very noisy- replace x1 radio run new cat5 at clarendon side to get radio off poe pass thru, ongoing issue	Technician Programmer	1
32	10-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON Clarendon to Dartmouth BPL	troubleshoot BPLib-clarendon radio link- very noisy- replace x1 radio run new cat5 at clarendon side to get radio off poe pass thru, ongoing issue	Technician Programmer	2
33	10-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON Clarendon to Dartmouth BPL	troubleshoot BPLib-clarendon radio link- very noisy- replace x1 radio run new cat5 at clarendon side to get radio off poe pass thru, ongoing issue	Technician Programmer	1
34	2-Apr-18	SONET	Hotel Buckminster 645 Beacon Street, Boston	Assist in repairing CCTV cameras in preparation for opening day	SONET 4791	15
35	4-Apr-18	SONET	CIMS Boston Landsdowne	Meet Boston DPW at Landsdowne to troubleshoot and repair 120 volt intermittent power issues. Check 120 volts at other sites in Fenway area for Opening Day	SONET 4792	31.5
36	5-Apr-18	SONET	CIMS Boston Wheatland and Whitfield	Troubleshoot 120 volt power issues, replace inline fuse assembly and 5 amp fuses, rodent damage	SONET 4795	10
37	5-Apr-18	SONET	CIMS Boston Gallivan Blvd	Troubleshoot power and data causing switch to no reboot, replace defective switch and reboot system, confirm continuity with LAN-TEL	SONET 4796	5.5
38	5-Apr-18	SONET	CIMS Revere Seaside Towers 510 Revere Beach Blvd	Troubleshoot 120 volt power issues in control cabinet affecting the building. Found circuit overloaded, install dedicated 120 volt 20 amp circuit Sigourney and Squire Rd - replace bad switch that could not reboot	SONET 4793	13.5
39	11-Apr-18	PAPPAS; SEAN M	CIMS - BOSTON Boylston, Berkeley	remove fixed cam at Berkley & Boylston install at Berkley & Newbury, remove ptz from Berkley & Newbury install at Berkley & Boylston	Technician Programmer	2
40	11-Apr-18	PAPPAS; SEAN M	CIMS - QUINCY	The camera in front of QPD was damaged. The single gang box broke off the wall and the camera got damaged. Had to be replaced Hancock & E Squantum camera wasn't showing video. Tried power cycling it that didn't bring it back. The dome of the camera is filled with water. Going to have to get an RMA. Neponset bridge the camera is pinagable and i can log in by showing no video. it won't spin after a power cycle. this is going to have to be replaced. Obrien Towers camera was down. I could ping the camera and log in but no video. I power cycled the camera but still didn't get it back.	Technician Programmer	6
41	11-Apr-18	NISBET; ERIC W.	CIMS - BOSTON	System Health Check	Software Technician	5
42	12-Apr-18	PAPPAS; SEAN M	CIMS - BOSTON Boylston, Berkeley	remove fixed cam at Berkley & Boylston install at Berkley & Newbury, remove ptz from Berkley & Newbury install at Berkley & Boylston	Technician Programmer	5
43	12-Apr-18	REX II; JAMES D	CIMS - BOSTON Boylston, Berkeley	remove fixed cam at Berkley & Boylston install at Berkley & Newbury, remove ptz from Berkley & Newbury install at Berkley & Boylston	Technician Programmer	2
44	12-Apr-18	NISBET; ERIC W.	CIMS - BOSTON BPD	Boston PD Pivot 3 troubles	Software Technician	2
45	12-Apr-18	NISBET; ERIC W.	CIMS - EVERETT	PD Version 8 upgrade	Software Technician	4
46	12-Apr-18	NISBET; ERIC W.	CIMS - BROOKLINE	PD Version 8 upgrade	Software Technician	2
47	12-Apr-18	NISBET; ERIC W.	CIMS - BROOKLINE	PD Version 8 upgrade	Software Technician	4
48	13-Apr-18	REX II; JAMES D	CIMS - BROOKLINE Beacon, Harvard, St. Paul and Kent	Check Brookline cameras for Marathon	Technician Programmer	1
49	13-Apr-18	REX II; JAMES D	CIMS - BROOKLINE Beacon, Harvard, St. Paul and Kent	Check Brookline cameras for Marathon	Technician Programmer	5
50	13-Apr-18	REX II; JAMES D	CIMS - BOSTON Clarendon to Dartmouth BPL	troubleshoot radio issue/replace camera	Technician Programmer	1

	G	H	I
30	OT	\$125.00	\$250.00
31	REG	\$109.00	\$109.00
32	OT	\$125.00	\$250.00
33	REG	\$109.00	\$109.00
34	REG	\$102.00	\$1,530.00
35	REG	\$102.00	\$3,213.00
36	REG	\$102.00	\$1,020.00
37	REG	\$102.00	\$561.00
38	REG	\$102.00	\$1,377.00
39	REG	\$109.00	\$218.00
40	REG	\$109.00	\$654.00
41	REG	\$125.00	\$625.00
42	REG	\$109.00	\$545.00
43	REG	\$109.00	\$218.00
44	OT	\$145.00	\$290.00
45	REG	\$125.00	\$500.00
46	OT	\$145.00	\$290.00
47	REG	\$125.00	\$500.00
48	OT	\$125.00	\$125.00
49	REG	\$109.00	\$545.00
50	OT	\$125.00	\$125.00

	A	B	C	D	E	F
51	13-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON Clarendon to Dartmouth BPL	troubleshoot radio issue/replace camera	Technician Programmer	1
52	13-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON Clarendon to Dartmouth BPL	troubleshoot radio issue/replace camera	Technician Programmer	1
53	13-Apr-18	REX II; JAMES D	CIMS - BOSTON Dalton Street	replace scratched front cam facing Boylston/patch holes in box	Technician Programmer	2
54	13-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON Dalton Street	replace scratched front cam facing Boylston/patch holes in box	Technician Programmer	2
55	13-Apr-18	WASHBURN; GREGORY R	CIMS - BROOKLINE Beacon Street	PM radio equipment for Marathon	Technician Programmer	4
56	13-Apr-18	SAVAGE;MARK	CIMS - BOSTON BPD	Boston PD Pivot 3 troubles	Technician Programmer	5
57	13-Apr-18	PAPPAS; SEAN M	CIMS - BOSTON Downer Ave	The camera at the top of the stairs at Downer Ave wasn't showing video. I plugged in and could see the camera locally. The radio link coming from the bottom of the stairs was disassociated. I rebooted the radio link and got the camera back. Rediscovered it and is now recording on the server again.	Technician Programmer	0.5
58	13-Apr-18	PAPPAS; SEAN M	CIMS - BOSTON Downer Ave	The camera at the top of the stairs at Downer Ave wasn't showing video. I plugged in and could see the camera locally. The radio link coming from the bottom of the stairs was disassociated. I rebooted the radio link and got the camera back. Rediscovered it and is now recording on the server again.	Technician Programmer	2.5
59	14-Apr-18	REX II; JAMES D	CIMS - BROOKLINE Beacon Street	am-add cam at beacon/chestnut hill realign dish to 1550 10db gain/add correct hardware get new archiver from Niz to install at Brookline PD to alleviate cpu utilization on 80.201 land /reland Brookline cams for scott	Technician Programmer	8
60	14-Apr-18	WASHBURN; GREGORY R	CIMS - BROOKLINE Beacon Street	Repair cam at beacon/chestnut hill realign dish to 1550 Beacon Hub 10db gain/add correct hardware get new archiver from Niz to install at Brookline PD to alleviate cpu utilization on 80.201 land /reland Brookline cams for scott	Technician Programmer	7
61	14-Apr-18	PAPPAS; SEAN M	CIMS - REVERE Shirley, North Shore	The camera on North Shore Rd & Shirley Ave corner was down. I could see the camera locally but not on the system. The radio link was down from 300 Ocean Ave roof. So I went up there and reset the switch and got the radio link back up. The camera came back up and is now view able on the system.	Technician Programmer	2
62	14-Apr-18	NISBET; ERIC W.	CIMS - BROOKLINE	Server Issue	Software Technician	2
63	14-Apr-18	SAVAGE;MARK	CIMS - BROOKLINE	Server Issue	Technician Programmer	9.5
64	17-Apr-18	REX II; JAMES D	CIMS - BOSTON BPD Command Center	Removed all 4 Mimosa Radios and boxed back up	Technician Programmer	3
65	17-Apr-18	SAVAGE;MARK	CIMS - BOSTON BPD Command Center	Removed all 4 Mimosa Radios and boxed back up	Technician Programmer	3
66	17-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON BPD Command Center	Removed all 4 Mimosa Radios and boxed back up	Technician Programmer	3
67	17-Apr-18	PAPPAS; SEAN M	CIMS - WINTHROP	The power was out at the pump house in Winthrop. This was feeding our can with all our equipment in it. It took out a couple different sites and the backhaul. I met with National Grid about getting the power back, still waiting for a solution	Technician Programmer	1

	G	H	I
51	REG	\$109.00	\$109.00
52	OT	\$125.00	\$125.00
53	OT	\$125.00	\$250.00
54	OT	\$125.00	\$250.00
55	REG	\$109.00	\$436.00
56	REG	\$109.00	\$545.00
57	REG	\$109.00	\$54.50
58	OT	\$125.00	\$312.50
59	OT	\$125.00	\$1,000.00
60	OT	\$125.00	\$875.00
61	OT	\$125.00	\$250.00
62	OT	\$145.00	\$290.00
63	OT	\$125.00	\$1,187.50
64	REG	\$109.00	\$327.00
65	REG	\$109.00	\$327.00
66	REG	\$109.00	\$327.00
67	REG	\$109.00	\$109.00

	A	B	C	D	E	F
68	17-Apr-18	PAPPAS; SEAN M	CIMS - WINTHROP	The power was out at the pump house in Winthrop. This was feeding our can with all our equipment in it. It took out a couple different sites and the backhaul. I met with National Grid about getting the power back, still waiting for a solution	Technician Programmer	4
69	18-Apr-18	NISBET; ERIC W.	CIMS - EVERETT	Police Dept Version 8 upgrade	Software Technician	3
70	18-Apr-18	NISBET; ERIC W.	CIMS - BROOKLINE	Police Dept Version 8 upgrade	Software Technician	2
71	19-Apr-18	PAPPAS; SEAN M	CIMS - BOSTON Humphrey and Wendover	This site was at Humphrey & Wendover st. This street has numerous cameras on it. The cable was damaged and ripped down. Taking out 2 of the cameras feeds. Cable had to be rerun from numerous poles due to lack of power. After completion cameras are back up and recording.	Technician Programmer	3
72	20-Apr-18	PAPPAS; SEAN M	CIMS - BOSTON	This site was at Wardman & Walnut PK. The cable was damaged and ripped down. Had to be rerun down the street on numerous poles because of lack of power. After completion the cameras were back up and recording.	Technician Programmer	2
73	20-Apr-18	PAPPAS; SEAN M	CIMS - BOSTON L and E Third	Found POE burnt out need special POE to replace	Technician Programmer	2
74	24-Apr-18	PAPPAS; SEAN M	CIMS - EVERETT Parlin	reset,upgrade and adjust radios-Boston coach-Parlin&bike path	Technician Programmer	2
75	24-Apr-18	PAPPAS; SEAN M	CIMS - REVERE Ocean Ave	We have equipment up on the Ocean Ave roof that was down. The switch went bad. I went there and replaced the switch everything is back up and functioning properly.	Technician Programmer	1
76	25-Apr-18	PAPPAS; SEAN M	CIMS - BROOKLINE Beacon and Harvard	I had to remove this site it was at Beacon & Harvard in Brookline. Power was disconnected by accident by Brookline DPW	Technician Programmer	2
77	25-Apr-18	SONET	CIMS Everett St Lawrence Cement	Troubleshoot 120 V power loss on roof taking out Mystic Town Connection, Relocate junction box on tower due to water damage and reset breaker	SONET	17
78	27-Apr-18	REX II; JAMES D	CIMS - EVERETT	-reset, upgrade and adjust radios-Boston coach-Parlin&bike path- parlin	Technician Programmer	2
79	27-Apr-18	WASHBURN; GREGORY R	CIMS - EVERETT	-reset, upgrade and adjust radios-Boston coach-Parlin&bike path- parlin	Technician Programmer	2
80	27-Apr-18	REX II; JAMES D	CIMS - BOSTON BHA Westview Camera	Took out PTZ with encoder, for it was has random video fails. and replaced with a PE133E Cam per Shawn Romanoski	Technician Programmer	3
81	27-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON	Took out PTZ with encoder, for it was has random video fails. and replaced with a PE133E Cam per Shawn Romanoski	Technician Programmer	3
82	28-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON Shawmut and W Newton	Modem was all blinking green, looked to be hung up POE Axis injector. Rebooted everything though, all is backup and recording.	Technician Programmer	1
83	28-Apr-18	WASHBURN; GREGORY R	CIMS - BOSTON DOT and Center	Cam had power and could ping Cam off cat5 jumper prior to barrel. laptop had no arp to aerial cat5 to switch after barrel. Remade Rj45 everything was back up. Could not get to Switch and Power Nema access. Everything Back up	Technician Programmer	1
84						
85						312.5
86						

	G	H	I
68	OT	\$125.00	\$500.00
69	REG	\$125.00	\$375.00
70	REG	\$125.00	\$250.00
71	REG	\$109.00	\$327.00
72	REG	\$109.00	\$218.00
73	REG	\$109.00	\$218.00
74	OT	\$125.00	\$250.00
75	OT	\$125.00	\$125.00
76	OT	\$125.00	\$250.00
77	REG	\$102.00	\$1,734.00
78	REG	\$109.00	\$218.00
79	REG	\$109.00	\$218.00
80	REG	\$109.00	\$327.00
81	REG	\$109.00	\$327.00
82	OT	\$125.00	\$125.00
83	OT	\$125.00	\$125.00
84			
85			\$35,071.00
86			

	A	B	C	D
1		LAN-TEL Communications, Inc.		
2		Billing for CIMS Project - Material Costs		
3		Apr-18		
4	Date of Service/Purchase	Location	Material Provided	Material Cost
5				
6		Nothing to Report		
7				
8				
9				
10				
11				
12			Total Material Costs	\$0.00

	A	B	C	D	E	F
1			LAN-TEL Communications, Inc.			
2			Billing for CIMS Project - Project Management Costs			
3			Apr-18			
4	Date of Service	Location	Work Performed	# Hours	Rate	Total
5	4/4/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
6	4/10/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
7	4/13/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
8	4/16/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
9	4/19/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
10	4/24/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
11	4/25/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
12	4/30/2018	Various Locations	Check Network, Project Management, Respond to POC calls and emails	2	\$98.00	\$196.00
13				Total	16	\$1,568.00

	G
1	
2	
3	
4	Special Event, PSNET or CIMS
5	
6	
7	
8	
9	
10	
11	
12	
13	

	A	B	C	D
1	April Labor Totals			
2	Labor Type	Hours	Total	
3	LAN-TEL Labor regular rate	124	\$13,516.00	
4	LAN-TEL Labor overtime rate	60	\$7,500.00	
5	LAN-TEL Labor Double Time Rate	0	\$0.00	
6	LAN-TEL Software Tech rate	30	\$3,750.00	
7	LAN-TEL Software Tech overtime rate	6	\$870.00	
8	LAN-TEL Software Tech double time rate	0	\$0.00	
9	Sonet	92.5	\$9,435.00	
10	Total Labor	312.5	\$35,071.00	
11				
12	Total Project Management Labor	16	\$1,568.00	
13	Total Labor & PM			\$36,639.00
14	April Material Totals			
15	Total PTZ DvTel Cameras	0	\$0.00	
16	Total Fixed DvTel Cameras	0	\$0.00	
17	Total Power Supplies	0	\$0.00	
18	Total Bucket Truck Rentals (LAN-TEL & Sonet)	0	\$0.00	
19	Total Adapters	0	\$0.00	
20	Total Encoders	0	\$0.00	
21	Total NEMA Enclosures	0	\$0.00	
22	Total Astro Brackets	0	\$0.00	
23	Total Antennas & Assoc. Equipment	0	\$0.00	
24	Total Cable & Assoc. Hardware	-	\$0.00	
25	Total POEs	0	\$0.00	
26	Total Misc. Equipment	-	\$0.00	
27	Total Material Used			\$0.00
28				
29	Total Billing for April 2018			\$36,639.00



City of Boston Purchase Order

City of Boston

Purchasing Department
One City Hall
Room 808
Boston MA 02201
United States

Dispatched		
Purchase Order	Date	Revision
BOSTN-0000688689	2018-03-14	
Payment Terms	Freight Terms	
Net 30	DES PPD	
Buyer		
Chan,Joey		

Vendor: 0000019146
Lan-Tel Communications Inc.
1400 Providence Highway, Building 3, Suite 3100
Norwood MA 02062
United States

Bill To: Auditing Department
One City Hall
Room M-4
Boston MA 02201
United States
Ship To: Purchasing Department
One City Hall
Room 808
Boston MA 02201
United States
Attention: Not Specified

Tax Exempt? Y

State Tax Exempt ID: 04-6001380

Contract ID: 000000000000000000045548

Line-Sch	Item/Description	Quantity	UOM	PO Price	Extended Amt	Due Date
1 - 1	Furnish and install (1) Mitsubishi Model #PKA-A30KA7 interior cooling and heating with a 2.5 ton wall mount ductless air conditioning unit.	1.00	EA	4700.00	4700.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				
2 - 1	Furnish and install (1) Mitsubishi Model #PUY-A30NHA7 exterior condensing unit	1.00	EA	4661.00	4661.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				
3 - 1	Furnish and install (1) 30 amp 1 phase 208-230 volt circuit and disconnect condenser unit	1.00	EA	1500.00	1500.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				
4 - 1	Furnish and install (1) 20 amp 1 phase circuit to interior air handler	1.00	EA	2000.00	2000.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				
5 - 1	Furnish and install HVAC piping and condensate pump	1.00	EA	3800.00	3800.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				



City of Boston Purchase Order

City of Boston

Purchasing Department
One City Hall
Room 808
Boston MA 02201
United States

Dispatched		
Purchase Order	Date	Revision
BOSTN-0000688689	2018-03-14	
Payment Terms	Freight Terms	
Net 30	DES PPD	
Buyer		
Chan,Joey		

Vendor: 0000019146
Lan-Tel Communications Inc.
1400 Providence Highway, Building 3, Suite 3100
Norwood MA 02062
United States

Bill To: Auditing Department
One City Hall
Room M-4
Boston MA 02201
United States
Ship To: Purchasing Department
One City Hall
Room 808
Boston MA 02201
United States
Attention: Not Specified

Tax Exempt? Y

State Tax Exempt ID: 04-6001380

Contract ID: 000000000000000000045548

Line-Sch	Item/Description	Quantity	UOM	PO Price	Extended Amt	Due Date
----------	------------------	----------	-----	----------	--------------	----------

Total PO Amount

****The above Purchase Order number must be included on all invoices to ensure accurate and timely payment.****

Official Approvals		
I certify that all records regarding this procurement are on file	Approved as to availability of appropriation	
Gerard Bonaceto	Sally Glora	3/15/2018
Department Head/Purchasing Agent/BPS Business Manager	City Auditor/BPS Business Manager	

This is not a valid purchase order without the above signatures.



LAN-TEL Communications, Inc.
 1400 Providence Highway
 Suite 3100
 Norwood, MA 02062
 781.551.8599 Fax 781.551.8667
 www.lan-tel.com

OFFICE OF EMERGENCY MANAGEMENT
 1 CITY HALL SQUARE
 ROOM 204
 ATTN JESSICA JONES
 BOSTON, MA 02201

INVOICE ID: 9917574
 DRAW ID: 2
 DATE: April 30,2018

CONTRACT ID: 18-0098-20
 HVAC FOR SECURITY EQUIPMENT-Bo
 LOCATION:

SALESPERSON:
 CUSTOMER ID: BOSTOEM
 PO #: BOSTN-000068868
 Terms: Net 0

WORK PERFORMED OVERSEE HVAC WORK FOR VITAL BETWORK SECURITY EQUIPMENT HOUSED AT WINTHROP WATER TOWER.
 PO # BOSTN-0000688689 CONTRACT ID # 0000000000000000000045548

FURNISH AND INSTALL (1) MITSUBISHI MODEL #PKA-A30KA7 INTERIOR COOLING AND HEATING WITH A 2.5 TON WALL MOUNT DUCTLESS AIR CONDITIONING UNIT.	\$ 4,700.00
FURINSH AND INSTALL (1) MITSUBISHI MODEL #PUY-A30NHA7 EXTERIOR CONDENSING UNIT	\$ 4,661.00
FURINSH AND INSTALL(1) 30 AMP 1 PHASE 208-230 VOLT CIRCUIT AND DISCONNECT CONDENSER UNIT	\$ 1,500.00
FURINSH AND INSTALL (1)20 AMP 1 PHASE CIRCUIT TO INTERIOR AIR HANDLER	\$ 2,000.00
FURINSH AND INSTALL HVAC PIPING AND CONDENSATE PUMP	\$ 3,800.00
TOTAL AMOUNT DUE:	\$ 16,661.00

ATTN: JESSICA JONES

AMOUNT DUE THIS INVOICE
 INTEREST @ 1.5% WILL BE CHARGED ON INVOICES OVER 60
 DAYS.

\$16,661.00



LAN-TEL Communications, Inc.
1400 Providence Highway
Suite 3100
Norwood, MA 02062
781.551.8599 Fax 781.551.8667
www.lan-tel.com

MAYOR'S OFFICE OF EMERGENCY
PREPAREDNESS-HOMELAND SECURITY
BOSTON CITY HALL-ROOM204
ONE CITY HALL PLAZA
BOSTON, MA 02201

INVOICE ID: 9917523
DRAW ID: 2
DATE: March 31,2018

CONTRACT ID: 18-5901-35
CIMS MAINTENANCE 2017 2018
LOCATION:

SALESPERSON:
CUSTOMER ID: DOINNOV
PO #: 686927
Terms: Net 0

PO 0000686927 CONTRACT ID 43933

WORK PERFORMED FOR CITY OF BOSTON CONTRACT # BOSTN-00006558731 & BOSTN-000066207

BILLING FOR MARCH 2018

PROJECT MANAGEMENT:	\$	0.00
FIELD LABOR:		68,066.00
MATERIAL:		0.00

AMOUNT DUE: \$ 68,066.00

ATTN: ACCOUNTS PAYABLE

AMOUNT DUE THIS INVOICE

\$68,066.00

INTEREST @ 1.5% WILL BE CHARGED ON INVOICES OVER 60 DAYS.

	A	B	C	D
1	February Labor Totals			
2	Labor Type	Hours	Total	
3	LAN-TEL Labor regular rate	89	\$9,701.00	
4	LAN-TEL Labor overtime rate	76	\$9,500.00	
5	LAN-TEL Software Tech double time rate	4	\$636.00	
6	LAN-TEL Software Tech rate	14	\$1,750.00	
7	LAN-TEL Software Tech overtime rate	2	\$290.00	
8	LAN-TEL Software Tech double time rate	2	\$360.00	
9	Sonet	221	\$22,542.00	
10	Total Labor	408	\$44,779.00	
11				
12	Total Project Management Labor	16	\$1,568.00	
13	Total Labor & PM			\$46,347.00
14	February Material Totals			
15	Total PTZ DvTel Cameras	0	\$0.00	
16	Total Fixed DvTel Cameras	0	\$0.00	
17	Total Power Supplies	0	\$0.00	
18	Total Bucket Truck Rentals (LAN-TEL & Sonet)	0	\$0.00	
19	Total Adapters	0	\$0.00	
20	Total Encoders	0	\$0.00	
21	Total NEMA Enclosures	0	\$0.00	
22	Total Astro Brackets	0	\$0.00	
23	Total Antennas & Assoc. Equipment	0	\$0.00	
24	Total Cable & Assoc. Hardware	-	\$0.00	
25	Total POEs	0	\$0.00	
26	Total Misc. Equipment	-	\$0.00	
27	Total Material Used			\$0.00
28				
29	Total Billing for February 2018			\$46,347.00

	A	B	C	D	E
1	Date	Employee	Location	Work Performed	Employee Type
2	01-Mar-18	PAPPAS; SEAN M	CIMS - WINTHROP Shirley FD	Re-IP Camera - suspect duplicate IP	Technician Programmer
3	01-Mar-18	PAPPAS; SEAN M	CIMS - BOSTON BPD	On 3/1/18 I had to move a site on Kneeland & Tyler. Crown Castle is removing the existing pole. This site had a radio going back to Tufts roof in Chinatown. The box was moved to the new pole and powered back up. The radio link is back up.	Technician Programmer
4	01-Mar-18	PAPPAS; SEAN M	CIMS - BOSTON Tremont and West	I had to check the switch at this site cameras weren't responding. Then I had to reposition the cameras and change the views. Getting a better angle of the park. They should be all set now.	Technician Programmer
5	01-Mar-18	PAPPAS; SEAN M	CIMS - BOSTON Tremont and West	I had to check the switch at this site cameras weren't responding. Then I had to reposition the cameras and change the views. Getting a better angle of the park. They should be all set now.	Technician Programmer
6	01-Mar-18	PAPPAS; SEAN M	CIMS - BOSTON Devon and Columbia	This site wasn't responding remotely. I went there and power cycled the camera and the radio injector. The camera and radio link came back up on the system.	Technician Programmer
7	01-Mar-18	SAVAGE;MARK	CIMS - BOSTON	BPD 8.0 FLIR Upgrade for work stations in districts	Technician Programmer
8	02-Mar-18	REX II; JAMES D	CIMS - BOSTON Schroeder Willis	Boston Revere Hotel Radio Links	Technician Programmer
9	02-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Schroeder Willis	Boston Revere Hotel Radio Links	Technician Programmer
10	02-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Schroeder Willis	Boston Revere Hotel Radio Links	Technician Programmer
11	02-Mar-18	SAVAGE;MARK	CIMS - BOSTON Schroeder	Web Client Issues	Technician Programmer
12	02-Mar-18	SAVAGE;MARK	CIMS - BOSTON Schroeder	Web Client Issues	Technician Programmer
13	03-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	C6 Bonet network 10.100.24.xxx Has been acting up. after all the troubleshooting, finding issues at courthouse, causing some kind of issue. arrived at court house late. and they are doing some kind of construction there. Security would not allow me on roof in the dark. Will have to go back tomorrow. shut down a radio and has fixed the issue some.	Technician Programmer
14	03-Mar-18	SAVAGE;MARK	CIMS - BOSTON Storm Issues	Tremont Bromfield power issue C6 Intermittent issues across BONET network Reset switch in basement but they could not get us in data closet	Technician Programmer
15	03-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Storm Issues	Tremont Bromfield power issue C6 Intermittent issues across BONET network Reset switch in basement but they could not get us in data closet	Technician Programmer
16	03-Mar-18	REX II; JAMES D	CIMS - WINTHROP Storm Issues	Reboot switch at water tower verify main/pleasant has no power-affecting cams at Belle Isle bridge as well	Technician Programmer
17	03-Mar-18	WASHBURN; GREGORY R	CIMS - WINTHROP Storm Issues	Onsite found Switch hung up, rebooted and everything came back up.	Technician Programmer
18	03-Mar-18	REX II; JAMES D	CIMS - EVERETT Storm Issues	City Hall Radwin Radio was dead, Replaced with UBNT Bridge back to Whidden Attaching to Sector AP2	Technician Programmer
19	03-Mar-18	WASHBURN; GREGORY R	CIMS - EVERETT Storm Issues	City Hall Radwin Radio was dead, Replaced with UBNT Bridge back to Whidden Attaching to Sector AP2	Technician Programmer
20	03-Mar-18	PAPPAS; SEAN M	CIMS - REVERE Storm issues	Due to the storm they lost power at the PD server. The computers had to be re booted, and I had to get the video back up on the monitors in dispatch to view the camera system. Comfort Inn had an issue on the roof causing the breaker to trip that power	Technician Programmer

	F	G	H	I
1	Hours	Pay_ID	Rate	Total
2	2.5	OT	\$125.00	\$312.50
3	2	REG	\$109.00	\$218.00
4	6	REG	\$109.00	\$654.00
5	1	OT	\$125.00	\$125.00
6	2	OT	\$125.00	\$250.00
7	3	REG	\$109.00	\$327.00
8	8	REG	\$109.00	\$872.00
9	8	REG	\$109.00	\$872.00
10	3.5	OT	\$125.00	\$437.50
11	6	OT	\$125.00	\$750.00
12	8	REG	\$109.00	\$872.00
13	1	OT	\$125.00	\$125.00
14	9.5	OT	\$125.00	\$1,187.50
15	1.5	OT	\$125.00	\$187.50
16	2	OT	\$125.00	\$250.00
17	2	OT	\$125.00	\$250.00
18	3	OT	\$125.00	\$375.00
19	3	OT	\$125.00	\$375.00
20	5.5	OT	\$125.00	\$687.50

Hours

	A	B	C	D	E
21	03-Mar-18	PAPPAS; SEAN M	CIMS - CHELSEA storm Issues	Brookway and Webster Cameras down and not showing video. Radio link took a hit and knocked out radio. Eastern and Crescent down due to the radio Carter and Addison not showing video. Camera was power cycled Wash and County water damage. Replaced switch and injector - all 3 cameras back up	Technician Programmer
22	05-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	trem/Bromfield(Mark was already onsite ,power restored) C6 intermittent issues across Bonet network , reset switch in basement but they could not get us in data closet in janitors office on second floor, we will go back Monday morning	Technician Programmer
23	05-Mar-18	SAVAGE;MARK	CIMS - BOSTON Storm Issues	trem/Bromfield(Mark was already onsite ,power restored) C6 intermittent issues across Bonet network , reset switch in basement but they could not get us in data closet in janitors office on second floor, we will go back Monday morning	Technician Programmer
24	05-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Storm Issues	C6 Bonet network 10.100.24.xxx Has been acting up. after all the troubleshooting, finding issues at courthouse, causing some kind of issue. arrived at court house late. and they are doing some kind of construction there. Security would not allow m	Technician Programmer
25	05-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Storm Issues	Trbl shot Strange issue going on in network all day at C6 replaced fluid mesh on roof to Nano. Narrowed it down at end of day at court house. could not gain access to court house roof because they closed at 7pm.	Technician Programmer
26	05-Mar-18	PAPPAS; SEAN M	CIMS - REVERE Storm issues	Ambrose Park and Sonny Meyers park down due to power issues. Dispatched to check outage - needed power company to restore power to fix the problem	Technician Programmer
27	06-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	Onsite South Boston Courthouse to remove radio that was causing issues, reconfigure l1st-mst radios, realign EBRDW/Lst, up rev x 12 radios - stabilize network	Technician Programmer
28	06-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	Onsite South Boston Courthouse to remove radio that was causing issues, reconfigure l1st-mst radios, realign EBRDW/Lst, up rev x 12 radios - stabilize network	Technician Programmer
29	06-Mar-18	SAVAGE;MARK	CIMS - BOSTON Storm Issues	Onsite South Boston Courthouse to remove radio that was causing issues, reconfigure l1st-mst radios, realign EBRDW/Lst, up rev x 12 radios - stabilize network	Technician Programmer
30	06-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Storm Issues	On roof at courthouse with Maintenance guy. made some config changes to radios, Issues have now disappeared. Also fixed l1st, Mst, M/Nst during the last couple of days. Upgraded firmware on all radios also from schoolhouse to everything off of	Technician Programmer
31	06-Mar-18	REX II; JAMES D	CIMS - EVERETT Storm Issues	Onsite Everett City Hall, found radwin back haul to whidden fried, replace with disch to whidden sector	Technician Programmer
32	06-Mar-18	WASHBURN; GREGORY R	CIMS - EVERETT Storm Issues	City Hall, Radwin radio was dead. Replaced with Ubnt Bridge back to Whidden. attaching to Sector AP2. Went to Wash/County replaced Nano that had no Lan connection to it.	Technician Programmer
33	06-Mar-18	REX II; JAMES D	CIMS - CHELSEA storm Issues	Install replacement radio at wash/county street Chelsea	Technician Programmer
34	07-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	Dot/Savin Hill -straighten crooked mast/camera-blown sideways due to wind Could not tighten astro bracket or lower ptp which would help -bolts frozen, sprayed all bolts straightened mast and holding with wire, should hold for now, will check if	Technician Programmer

	F	G	H	I
21	5	OT	\$125.00	\$625.00
22	8	REG	\$109.00	\$872.00
23	4	OT	\$125.00	\$500.00
24	8	REG	\$109.00	\$872.00
25	4.5	OT	\$125.00	\$562.50
26	1.5	OT	\$125.00	\$187.50
27	5	REG	\$109.00	\$545.00
28	1	OT	\$125.00	\$125.00
29	3	OT	\$125.00	\$375.00
30	4.5	REG	\$109.00	\$490.50
31	2	REG	\$109.00	\$218.00
32	3.5	REG	\$109.00	\$381.50
33	1	REG	\$109.00	\$109.00
34	2.5	REG	\$109.00	\$272.50

Hours

	A	B	C	D	E
35	07-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	Lawrence/mascoma-packet loss between radios found a little H2O in nema ,possibly causing switch issues Cunningham resecure cable (sagging below phone lines) check integrity of multiple grove hall installs-all ok	Technician Programmer
36	07-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Storm Issues	Lawrence/Mascoma - found packet loss at this point and beyond, replaced switch.	Technician Programmer
37	07-Mar-18	REX II; JAMES D	CIMS - QUINCY Storm Issues	troubleshoot modem/ptz	Technician Programmer
38	07-Mar-18	WASHBURN; GREGORY R	CIMS - QUINCY Storm Issues	Central Middle School QD cam. Replaced Modem and upgraded firmware on PTZ	Technician Programmer
39	07-Mar-18	NISBET; ERIC W.	CIMS - BOSTON	Wbclient Failure at BPD	Software Technician
40	08-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	C6 radio redesign to alleviate sbhs -ch traffic	Technician Programmer
41	08-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Storm Issues	C6 Radio rework	Technician Programmer
42	09-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	St James Clarendon replaced/swap radios, intermittent RF connection, replace switch	Technician Programmer
43	09-Mar-18	REX II; JAMES D	CIMS - CHELSEA storm Issues	Soldiers home troubleshoot high latency 10.0.74.210 radio, power cycled trend net xswitch in "enclosure" on upper roof, find and unplug old canopy, come up with solution for redesign to eliminate switc	Technician Programmer
44	09-Mar-18	PAPPAS; SEAN M	CIMS - BOSTON	This site had no video. I went and tried to log into the camera and the radio at the location. Couldn't do so due to loss of power on the pole. Once we get power back I'll get the site back up. Corner of Dot Ave and Telepgraph Hill	Technician Programmer
45	09-Mar-18	PAPPAS; SEAN M	CIMS - QUINCY	This was at Quincy Maritime Harbormasters office on the roof. The camera was down I believe it was due to the storm. When I got there the camera, the mount, and the nema box, were all missing. There was no access inside the building to confirm with the QPD	Technician Programmer
46	09-Mar-18	PAPPAS; SEAN M	CIMS - REVERE	I had to go to Rose St Park the camera wasn't showing video. The ribbon cable had to be reset on the camera. This brought the video back up and everything is recording again.	Technician Programmer
47	09-Mar-18	PAPPAS; SEAN M	CIMS - REVERE	I had to go to Rose St Park the camera wasn't showing video. The ribbon cable had to be reset on the camera. This brought the video back up and everything is recording again.	Technician Programmer
48	09-Mar-18	PAPPAS; SEAN M	CIMS - REVERE	I had to go back to the Comfort Inn roof, our equipment was being powered temporarily. Since the storm the power had to be disconnected due to water damage. I got our equipment back up powered correctly. Everything is back up and running properly.	Technician Programmer
49	09-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Storm Issues	James_Clarendon multiple links down. Changed several radio settings, multiple resets at different sites.	Technician Programmer
50	10-Mar-18	PAPPAS; SEAN M	CIMS - SOMERVILLE	This was at Broadway & Temple. This can needs to be changed out to be able to fit a switch and radio injector. For now I adjusted the existing camera to view the intersection. Until we get a new can then I'll do the full switch out.	Technician Programmer
51	10-Mar-18	PAPPAS; SEAN M	CIMS - SOMERVILLE	This was Albany Street Bridge The camera was not showing video. I power cycled the camera. I also reconnected the cat 5 cable and power connector at the camera head to come back up. The camera is now viewable on the system	Technician Programmer
52	10-Mar-18	PAPPAS; SEAN M	CIMS - EVERETT	This was at 88 Main Street. The camera had no PTZ function from the server. I went and disconnected the power. I refocused the camera and pointed it up towards the rotary to view the proper area. It's back recording on the server.	Technician Programmer
53	10-Mar-18	NISBET; ERIC W.	CIMS - CHELSEA	This was at 88 Main Street. The camera had no PTZ function from the server. I went and disconnected the power. I refocused the camera and pointed it up towards the rotary to view the proper area. It's back recording on the server.	Software Technician

	F	G	H	I
35	2.5	REG	\$109.00	\$272.50
36	2.5	REG	\$109.00	\$272.50
37	2	REG	\$109.00	\$218.00
38	2.5	REG	\$109.00	\$272.50
39	4	REG	\$125.00	\$500.00
40	7	REG	\$109.00	\$763.00
41	7	REG	\$109.00	\$763.00
42	5	REG	\$109.00	\$545.00
43	3	REG	\$109.00	\$327.00
44	2.5	REG	\$109.00	\$272.50
45	2	REG	\$109.00	\$218.00
46	1	REG	\$109.00	\$109.00
47	1.5	REG	\$109.00	\$163.50
48	1	OT	\$125.00	\$125.00
49	3	REG	\$109.00	\$327.00
50	2	OT	\$125.00	\$250.00
51	3	OT	\$125.00	\$375.00
52	3	OT	\$125.00	\$375.00
53	2	OT	\$145.00	\$290.00

Hours

	A	B	C	D	E
54	10-Mar-18	SAVAGE;MARK	CIMS - BOSTON Schreoder Plaza	Remote Troubleshoot antenna from BPD tower to Northeastern	Technician Programmer
55	10-Mar-18	SAVAGE;MARK	CIMS - BOSTON Tremont and West	Troubleshoot camera location. Added new northern old intermittent. Also antenna issue - re-adjust link back to triple head on the commons	Technician Programmer
56	12-Mar-18	REX II; JAMES D	CIMS - BOSTON	35 N.Hampton_B.Revere- Installed Dish (received by Lou at Frontage BPD stock). Used spare Cat5 that was toned out and tested good, to tell data closet on 29th fl. Configured as AP 10.10.65.140. Will install B.Revere on later date.	Technician Programmer
57	12-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON	35 N.Hampton_B.Revere- Installed Dish (received by Lou at Frontage BPD stock). Used spare Cat5 that was toned out and tested good, to tell data closet on 29th fl. Configured as AP 10.10.65.140. Will install B.Revere on later date.	Technician Programmer
58	12-Mar-18	PAPPAS; SEAN M	CIMS - REVERE	I had to move a quick deploy camera from Walnut St in Revere. The new location is to monitor the exit of Showcase Cinemas. The camera is back up and recording on the system. We're going to be moving another one so leave this ticket open.	Technician Programmer
59	13-Mar-18	NISBET; ERIC W.	CIMS - GENERAL ACCOUNT	D crives have been getting clogged causing server issues. Had to clean for all towns	Software Technician
60	14-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	BFD21 Bonet down found everythinmg up past router inside cabinet. Firewall was not powered up and ups was in alarm.	Technician Programmer
61	14-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	Mathers Shool - all 3 PTP motorolas were down. The UPS was in alarm. Took off UPS and put into power strip	Technician Programmer
62	14-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON	This site had no video. I went and tried to log into the camera and the radio at the location. Couldn't do so due to loss of power on the pole. Once we get power back I'll get the site back up. Corner of Dot Ave and Telegraph Hill	Technician Programmer
63	14-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON	This site had no video. I went and tried to log into the camera and the radio at the location. Couldn't do so due to loss of power on the pole. Once we get power back I'll get the site back up. Corner of Dot Ave and Telegraph Hill	Technician Programmer
64	15-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	SBHS_C6 took down Fluid mesh, Changed to UBNT Dish. Changed over SBHS to courthouse and everything after to Bonet .25. network . To alleviate traffic flow up and over SBHS back to C6, after last storm took down Court House radios	Technician Programmer
65	15-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	SBHS_C6 took down Fluid mesh, Changed to UBNT Dish. Changed over SBHS to courthouse and everything after to Bonet .25. network . To alleviate traffic flow up and over SBHS back to C6, after last storm took down Court House radios	Technician Programmer
66	15-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	franklin/Hawley-replace radio x8 cams restored	Technician Programmer
67	15-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Storm Issues	franklin/Hawley-replace radio x8 cams restored	Technician Programmer
68	15-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Storm Issues	franklin/Hawley-replace radio x8 cams restored	Technician Programmer
69	15-Mar-18	REX II; JAMES D	CIMS - EVERETT Storm Issues	AP3 at Whidden Hosp down. Power cycle brought back up but did realignment, and changed Freq. and firmware upgrades on some equipment attached to this link.	Technician Programmer
70	15-Mar-18	WASHBURN; GREGORY R	CIMS - EVERETT Storm Issues	3-15-18 AP3 at Whidden Hosp down. Power cycle brought back up but did realignment, and changed Freq. and firmware upgrades on some equipment attached to this link.	Technician Programmer

	F	G	H	I
54	2	OT	\$125.00	\$250.00
55	2	OT	\$125.00	\$250.00
56	5	REG	\$109.00	\$545.00
57	4	REG	\$109.00	\$436.00
58	4	REG	\$109.00	\$436.00
59	5	REG	\$125.00	\$625.00
60	3	OT	\$125.00	\$375.00
61	8	REG	\$109.00	\$872.00
62	8	REG	\$109.00	\$872.00
63	3.5	OT	\$125.00	\$437.50
64	1	OT	\$125.00	\$125.00
65	5	REG	\$109.00	\$545.00
66	5	REG	\$109.00	\$545.00
67	5	REG	\$109.00	\$545.00
68	3.5	OT	\$125.00	\$437.50
69	2	REG	\$109.00	\$218.00
70	3	REG	\$109.00	\$327.00

Hours

	A	B	C	D	E
71	15-Mar-18	REX II; JAMES D	CIMS - CHELSEA storm Issues	Eastern and Crescent was down due to the radio as well. The radio was are-supported and realisnged to shoot back up to the Broadway and Eastern radio link. This brought the site back up	Technician Programmer
72	15-Mar-18	SONET	CIMS Boston	Perform work to inspect, resecure and strengthen roof top units for wind and snow	SONET 4745
73	15-Mar-18	SONET	CIMS	Provide Labor, Material, Equipment to assist LAN-TEL with restoration of equipment due to storm at various locations	SONET 4746
74	15-Mar-18	SONET	CIMS	Provide Labor, Material, Equipment to assist LAN-TEL with restoration of equipment due to storm at various locations	SONET 4747
75	15-Mar-18	SONET	CIMS	Telegraph Hill 120 volt power Failure, Revere Hotel 200 Stuart assist with antenna re-alignment to 35 North Hampton St (2 men)	SONET 4751
76	15-Mar-18	SONET	CIMS Boston and Quincy	Clean up storm related damage	SONET 4752
77	15-Mar-18	PAPPAS; SEAN M	CIMS - BOSTON	DOT Ave and Freeport St lost power to our pole. The power was run underground across the street to a btd power can. The breaker tripped that was feeding our can. I reset the breaker and got our camera back up on the system.	Technician Programmer
78	15-Mar-18	PAPPAS; SEAN M	CIMS - BOSTON	I had to go to Dot Ave & Centre St. Had to terminate the cat 5 cables and plug them into the switch to get the cameras and the radio. These cables are ran across the street to another box where the cameras and radio is mounted. The cameras and radios are back on line	Technician Programmer
79	15-Mar-18	PAPPAS; SEAN M	CIMS - QUINCY	The Sea St cameras were down. I went to the site and power cycled the 2 cameras and got them back up and view able on the system. This site didn't stay up it went down again the next day so it's going to have to be re visited, and trouble shot again.	Technician Programmer
80	15-Mar-18	PAPPAS; SEAN M	CIMS - WINTHROP	This camera went down and wasn't showing video. I checked the power at the camera it was getting 24volts. I changed out the RJ45 head at the camera. I also reset the ribbon cable inside the camera head. The camera now shows video and is back up and record	Technician Programmer
81	16-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	Process latest CIMS RMA's Replace dead radio link D4-609Albany (BPD provided radios), went down after storm Move dot st/telegraph bosch down dot st 100yds to dot/w9th, due to loss of power to pole went down after storm	Technician Programmer
82	16-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	Process latest CIMS RMA's Replace dead radio link D4-609Albany (BPD provided radios), went down after storm Move dot st/telegraph bosch down dot st 100yds to dot/w9th, due to loss of power to pole	Technician Programmer
83	16-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Storm Issues	D4_609 Albany Link down, Changed link out to UBNT dish. restored 4 Cams. Fixed Thomas Park cam, Moved Telegraph&6th to 1pole down due to no power. Downer Ave Base Stairs, Restored link and upgraded firmware on	Technician Programmer

	F	G	H	I
71	1	REG	\$109.00	\$109.00
72	19	REG	\$102.00	\$1,938.00
73	15	REG	\$102.00	\$1,530.00
74	17	REG	\$102.00	\$1,734.00
75	17	REG	\$102.00	\$1,734.00
76	27	REG	\$102.00	\$2,754.00
77	2	OT	\$125.00	\$250.00
78	4	REG	\$109.00	\$436.00
79	2	REG	\$109.00	\$218.00
80	2	OT	\$125.00	\$250.00
81	1	OT	\$125.00	\$125.00
82	8	REG	\$109.00	\$872.00
83	6	REG	\$109.00	\$654.00

Hours

	A	B	C	D	E
84	16-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Storm Issues	3-16-18 D4_609 Albany Link down, Changed link out to UBNT dish. Restored 4 Cams. 3-16-18 Fixed Thomas Park cam, 3-16-18 Moved Telegraph&6th to 1pole down due to no power. 3-16-18 Downer Ave Base Stairs, Restored link and upgraded firmware on	Technician Programmer
85	16-Mar-18	SAVAGE;MARK	CIMS - CHELSEA storm Issues	Carter and Addison wasn't showing video. This camera needed to be power cycled from the radio injector. Doing so brought the camera back up	Technician Programmer
86	16-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON	Prepped Cam's IP subnet change for swap over.	Technician Programmer
87	16-Mar-18	PAPPAS; SEAN M	CIMS - CHELSEA	This site was at Bellingham & Highland St . There were 3 cameras at this location. 2 fixed cameras that were up and recording, but the PTZ wasn't showing video. I changed switch ports and disconnected and re connected the power and cat5 connections to the	Technician Programmer
88	16-Mar-18	PAPPAS; SEAN M	CIMS - QUINCY	This QD camera was at the middle school. I could see the camera locally but no video on the server. It was power cycled numerous times. The modem was changed out as well. The cat5 cable was cahrnged with new rj45 connectors. None of these options brought the camera back up on th system.	Technician Programmer
89	16-Mar-18	PAPPAS; SEAN M	CIMS - QUINCY	This QD camera was at the middle school. I could see the camera locally but no video on the server. It was power cycled numerous times. The modem was changed out as well. The cat5 cable was cahrnged with new rj45 connectors. None of these options brought the camera back up on th system.	Technician Programmer
90	17-Mar-18	REX II; JAMES D	CIMS - BOSTON Storm Issues	Wendover ST resecure low cables, Thomas Park C6 remove flakey radio/bosch, intall new radio and x2 fixed, Dudley Adams no power - check c6 links on parade routes	Technician Programmer
91	17-Mar-18	SAVAGE;MARK	CIMS - BOSTON Storm Issues	Wendover ST resecure low cables, Thomas Park C6 remove flakey radio/bosch, intall new radio and x2 fixed, Dudley Adams no power - check c6 links on parade routes	Technician Programmer
92	17-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Storm Issues	3-17-18 -Thomas Park trbl, replace PTZ with 2 fixed. -Dudley and Adams - No pwr.	Technician Programmer
93	17-Mar-18	PAPPAS; SEAN M	CIMS - REVERE	I had to move a quick deploy camera from Walnut St in Revere. The new location is to monitor the exit of Showcase Cinemas. The camera is back up and recording on the system. We're going to be moving another one so leave this ticket open.	Technician Programmer
94	17-Mar-18	PAPPAS; SEAN M	CIMS - QUINCY	This QD camera was at the middle school. I could see the camera locally but no video on the server. It was power cycled numerous times. The modem was changed out as well. The cat5 cable was cahrnged with new rj45 connectors. None of these options brought the camera back up on th system.	Technician Programmer
95	17-Mar-18	WASHBURN; GREGORY R	CIMS - QUINCY	QD cam trbl remotely	Technician Programmer
96	19-Mar-18	PAPPAS; SEAN M	CIMS - QUINCY	This QD camera was at the middle school. I could see the camera locally but no video on the server. It was power cycled numerous times. The modem was changed out as well. The cat5 cable was changed with new rj45 connectors. None of these options brought	Technician Programmer
97	19-Mar-18	PAPPAS; SEAN M	CIMS - QUINCY	The 2 cameras at Sea st and the 2 cameras at the Maritime Center were all down. These are all connected by fiber that runs back to Quincy Police. The UPS at the Maritime Center crashed. I bypassed the UPS and got all of our equipment back up until they get a new UPS. I got the 3 cameras back up, 1 was lost due to the storm.	Technician Programmer
98	19-Mar-18	NISBET; ERIC W.	CIMS - REVERE Police	Quick deploy - firewall issues	Software Technician
99	20-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON A1 Commons	EOS had no pwr. Redirected Bandstand Radio to Soldiers (Temp). 4x cams back up. Need to get keys to EOS to determine power issues.	Technician Programmer

	F	G	H	I
84	4.5	OT	\$125.00	\$562.50
85	2	REG	\$109.00	\$218.00
86	2	REG	\$109.00	\$218.00
87	1	REG	\$109.00	\$109.00
88	3	OT	\$125.00	\$375.00
89	1	REG	\$109.00	\$109.00
90	8	OT	\$125.00	\$1,000.00
91	8	OT	\$125.00	\$1,000.00
92	5	OT	\$125.00	\$625.00
93	2	OT	\$125.00	\$250.00
94	5	OT	\$125.00	\$625.00
95	1.5	OT	\$125.00	\$187.50
96	6	REG	\$109.00	\$654.00
97	1	OT	\$125.00	\$125.00
98	2	REG	\$125.00	\$250.00
99	1	OT	\$125.00	\$125.00

Hours

	A	B	C	D	E
100	21-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON A1 Commons	BPD Had Power restored at EOS, Went back and reconfig radios back to orig config. Cameras back up. EOS and Bandstand.	Technician Programmer
101	21-Mar-18	REX II; JAMES D	CIMS - BOSTON	-Dot/talbot-ashmont location ptp bouncing-radar cac- replace with ubiquity ,upgrade firmware on local radios	Technician Programmer
102	21-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON	-Dot/talbot-ashmont location ptp bouncing-radar cac- replace with ubiquity ,upgrade firmware on local radios	Technician Programmer
103	21-Mar-18	PAPPAS; SEAN M	CIMS - BOSTON Jeremiah Burke Bonet Conversion	We had to run 7 cables from the cabinet up on the roof down to the Bonet cabinet on the 3rd floor.	Technician Programmer
104	21-Mar-18	REX II; JAMES D	CIMS - BOSTON Jeremiah Burke Bonet Conversion	-install x2 switches in cims rack in mechanical space -verify connection to cable outside of Bonet cabinet floor 3 room 367b -Bonet needs to be present to open cabinet so we can plug in	Technician Programmer
105	21-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Jeremiah Burke Bonet Conversion	-install x2 switches in cims rack in mechanical space -verify connection to cable outside of Bonet cabinet floor 3 room 367b -Bonet needs to be present to open cabinet so we can plug in	Technician Programmer
106	22-Mar-18	REX II; JAMES D	CIMS - BOSTON Jeremiah Burke Bonet Conversion	convert sector to dish for EEdcntr add sector for mother Caroline in order to segment .69 network	Technician Programmer
107	22-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Jeremiah Burke Bonet Conversion	Changed some radio configs to accept Bonet Subnet range. Realigned several Radios. Just need Access to Bonet Cabinet.	Technician Programmer
108	22-Mar-18	PAPPAS; SEAN M	CIMS - SOMERVILLE	The Beacon & Washington Modem wasn't passing traffic to be able to view the Quick Deploy Camera. I power cycled the modem which gave it the ability to pass traffic again. I also made the sure the connections to the camera were hooked up properly. The cam is now back up and view able on the system.	Technician Programmer
109	22-Mar-18	PAPPAS; SEAN M	CIMS - SOMERVILLE	The Assembly Sq PTZ on the bridge wasn't showing video. I power cycled the camera and changed switch ports on the switch. Also re connected the power and cat5 connections at the camera head. The camera is now back up.	Technician Programmer
110	23-Mar-18	PAPPAS; SEAN M	CIMS - CHELSEA	The site at Washington & Lash had 2 radios and a camera. We had to take it down per request of the city of Chelsea. This pole is being removed. We will be putting it back once the removal is complete. Leave ticket open.	Technician Programmer
111	23-Mar-18	PAPPAS; SEAN M	CIMS - CHELSEA Highland and Grove	This was a reset at Highland & Grove. The fixed camera wasn't showing video. I went and power cycled the camera and also changed out the switch ports. This brought the camera back up and recording on the system.	Technician Programmer
112	23-Mar-18	PAPPAS; SEAN M	CIMS - BOSTON Lawrence and Mascoma	This site has a PTZ and 2 fixed cameras. One of the fixed cameras wasn't showing video. When I went to the site the camera was factory defaulted on it's own. Apparently this was the third time this camera has done this. I replaced the northern camera and re landed it. The camera is back up and recording on the system.	Technician Programmer
113	23-Mar-18	PAPPAS; SEAN M	CIMS - BOSTON Lawrence and Mascoma	This site has a PTZ and 2 fixed cameras. One of the fixed cameras wasn't showing video. When I went to the site the camera was factory defaulted on it's own. Apparently this was the third time this camera has done this. I replaced the northern camera and re landed it. The camera is back up and recording on the system.	Technician Programmer

	F	G	H	I
100	1.5	OT	\$125.00	\$187.50
101	3.5	REG	\$109.00	\$381.50
102	3.5	REG	\$109.00	\$381.50
103	8	REG	\$109.00	\$872.00
104	4.5	REG	\$109.00	\$490.50
105	4.5	REG	\$109.00	\$490.50
106	8	REG	\$109.00	\$872.00
107	6	REG	\$109.00	\$654.00
108	1	REG	\$109.00	\$109.00
109	1.5	OT	\$125.00	\$187.50
110	3	REG	\$109.00	\$327.00
111	2	REG	\$109.00	\$218.00
112	1	REG	\$109.00	\$109.00
113	1	OT	\$125.00	\$125.00

Hours

	A	B	C	D	E
114	23-Mar-18	PAPPAS; SEAN M	CIMS - BROOKLINE Beacon and Chestnut	This site was at Beacon & Chestnut Hill. The whole site lost power and had numerous sites down due to the power loss. The BTd can across the street was where our power feed was running to. The breaker had been tripped. I reset the breaker and got the power back to our site. All the cameras and equipment coming off this site came back up and view able on the system.	Technician Programmer
115	24-Mar-18	PAPPAS; SEAN M	CIMS - BOSTON Jeremiah Burke Bonet Conversion	Assisted on the redirection of the radio link on Bh & Lawrence and pointed it to Bh and Intervale to get back up to the Early Childhood Education roof Sector.	Technician Programmer
116	24-Mar-18	REX II; JAMES D	CIMS - BOSTON	redirect bh Lawrence to bh Intervale to further segment network for Bonet Conversion	Technician Programmer
117	26-Mar-18	SONET	CIMS Boston	Earl of Sandwich, Boston Common, Talbot and Argyle 120 Volt power restoration , repair for CCTV control boxes	SONET 4761
118	26-Mar-18	SONET	CIMS Chelsea	Prattville Park troubleshoot and repair 120v intermittent power issue	SONET 4762
119	26-Mar-18	SONET	CIMS Boston	American Legion Hwy, Wayland St and Dacia Rd, BJ Book Store troubleshoot and repair 120 v power issues	SONET 4765
120	26-Mar-18	SONET	CIMS Boston	Gallivan Blvd troubleshoot 120v power in street control box, found water displacement in control cabinet - dry out and replace 15 amp inline fuse	SONET 4763
121	26-Mar-18	SONET	CIMS Chelsea	Make safe demo performed on Verizon pole for removal of CCTV camera and control box to accommodate pole replacement for Pam Monziona	SONET 4764
122	26-Mar-18	NISBET; ERIC W.	CIMS Boston	LAT/Long Coordination SHOTSPOTTER	Software Technician
123	26-Mar-18	NISBET; ERIC W.	CIMS - BOSTON	Replaced PTZ with new CP 6302-31-1 along with new Axis 60w POE inj with Vin's scheduled access	Software Technician
124	27-Mar-18	REX II; JAMES D	CIMS - REVERE Jeremiah Burke Bonet Conversion	Met team from Bonet at JB for cabinet access, plugged in our 4 connections to the roof verified switches up on system ready for conversion	Technician Programmer
125	28-Mar-18	REX II; JAMES D	CIMS - BOSTON Brookline	Beacon and Carlton onstie nema has no power. Blown inline fuse base of pole, Referred to SONET High Voltage in bae of pole (trm 5.250vac ir 10ka 5 amp)	Technician Programmer
126	29-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON	Replaced PTZ with new CP 6302-31-1 along with new Axis 60w POE inj with Vin's scheduled access	Technician Programmer
127	29-Mar-18	REX II; JAMES D	CIMS - BOSTON Revere	Seaview Towers, -onsite found no power at top of stairwell to Cims equipment -found maintenance and they directed me to panel on 12th floor laundry rm -breaker tripped, they where having power issues yesterday	Technician Programmer
128	29-Mar-18	SAVAGE;MARK	CIMS - BOSTON Revere	Seaview Towers, -onsite found no power at top of stairwell to Cims equipment -found maintenance and they directed me to panel on 12th floor laundry rm -breaker tripped, they where having power issues yesterday	Technician Programmer
129	29-Mar-18	NISBET; ERIC W.	CIMS Boston	LAT/Long Coordination SHOTSPOTTER	Software Technician
130	30-Mar-18	NISBET; ERIC W.	CIMS - REVERE	-onsite found no power at top of stairwell to Cims equipment -found maintenance and they directed me to panel on 12th floor laundry rm -breaker tripped, they where having power issues yesterday	Technician Programmer
131	30-Mar-18	REX II; JAMES D	CIMS - BOSTON Revere	Troubleshoot backhaul seaview 250 Broadway ptp54400 9.9 mbs, seaview mogil-4pts cinemas hops, survery backhaul upgrade seaview to hyman - cith fiber in place per chuck wade	Technician Programmer
132	30-Mar-18	WASHBURN; GREGORY R	CIMS - BOSTON Revere	Troubleshoot backhaul seaview 250 Broadway ptp54400 9.9 mbs, seaview mogil-4pts cinemas hops, survery backhaul upgrade seaview to hyman - cith fiber in place per chuck wade	Technician Programmer
133	30-Mar-18	NISBET; ERIC W.	CIMS Boston	LAT/Long Coordination SHOTSPOTTER	Software Technician
134	31-Mar-18	REX II; JAMES D	CIMS - REVERE Jeremiah Burke Bonet Conversion	Convert 89 cameras and approximately 70 radios to 4 segmented Bonet Ports at J Burke , upgrade all radio firmware because of murder in area per Shawn Romo.	Technician Programmer
135	31-Mar-18	WASHBURN; GREGORY R	CIMS - REVERE Jeremiah Burke Bonet Conversion	Remotely assisted conversion Intermapper BPD serrver video	Technician Programmer

	F	G	H	I
114	2	OT	\$125.00	\$250.00
115	1.5	OT	\$125.00	\$187.50
116	2	OT	\$125.00	\$250.00
117	17	REG	\$102.00	\$1,734.00
118	15	REG	\$102.00	\$1,530.00
119	17	REG	\$102.00	\$1,734.00
120	8	REG	\$102.00	\$816.00
121	8	REG	\$102.00	\$816.00
122	3	REG	\$125.00	\$375.00
123	3	REG	\$125.00	\$375.00
124	4	REG	\$109.00	\$436.00
125	4	REG	\$109.00	\$436.00
126	8	REG	\$109.00	\$872.00
127	8	REG	\$109.00	\$872.00
128	8	REG	\$109.00	\$872.00
129	4	REG	\$125.00	\$500.00
130	2	REG	\$125.00	\$250.00
131	4	REG	\$109.00	\$436.00
132	2	REG	\$109.00	\$218.00
133	2	REG	\$125.00	\$250.00
134	4	REG	\$109.00	\$436.00
135	4	REG	\$109.00	\$436.00

Hours

	A	B	C	D	E
136					Total

	F	G	H	I
136	610			\$68,066.00

Hours

	A	B	C	D
1		LAN-TEL Communications, Inc.		
2		Billing for CIMS Project - Material Costs		
3		Mar-18		
4	Date of Service/Purchase	Location	Material Provided	Material Cost
5				
6		Nothing to Report		
7				
8				
9				
10				
11				
12			Total Material Costs	\$0.00

	A	B	C	D	E	F
1			LAN-TEL Communications, Inc.			
2			Billing for CIMS Project - Project Management Costs			
3			Mar-18			
4	Date of Service	Location	Work Performed	# Hours	Rate	Total
5						
6			No time charged this month			
7						
8						
9						
10						
11						
12						
13			Total	0		\$0.00

	G
1	
2	
3	
4	Special Event, PSNET or CIMS
5	
6	
7	
8	
9	
10	
11	
12	
13	

	A	B	C	D
1	March Labor Totals			
2	Labor Type	Hours	Total	
3	LAN-TEL Labor regular rate	284	\$30,956.00	
4	LAN-TEL Labor overtime rate	139	\$17,375.00	
5	LAN-TEL Software Tech double time rate	0	\$0.00	
6	LAN-TEL Software Tech rate	25	\$3,125.00	
7	LAN-TEL Software Tech overtime rate	2	\$290.00	
8	LAN-TEL Software Tech double time rate	0	\$0.00	
9	Sonet	160	\$16,320.00	
10	Total Labor	610	\$68,066.00	
11				
12	Total Project Management Labor	0	\$0.00	
13	Total Labor & PM			\$68,066.00
14	March Material Totals			
15	Total PTZ DvTel Cameras	0	\$0.00	
16	Total Fixed DvTel Cameras	0	\$0.00	
17	Total Power Supplies	0	\$0.00	
18	Total Bucket Truck Rentals (LAN-TEL & Sonet)	0	\$0.00	
19	Total Adapters	0	\$0.00	
20	Total Encoders	0	\$0.00	
21	Total NEMA Enclosures	0	\$0.00	
22	Total Astro Brackets	0	\$0.00	
23	Total Antennas & Assoc. Equipment	0	\$0.00	
24	Total Cable & Assoc. Hardware	-	\$0.00	
25	Total POEs	0	\$0.00	
26	Total Misc. Equipment	-	\$0.00	
27	Total Material Used			\$0.00
28				
29	Total Billing for March 2018			\$68,066.00



City of Boston Purchase Order

City of Boston

Purchasing Department
One City Hall
Room 808
Boston MA 02201
United States

Dispatched		
Purchase Order	Date	Revision
BOSTN-0000688689	2018-03-14	
Payment Terms	Freight Terms	
Net 30	DES PPD	
Buyer		
Chan,Joey		

Vendor: 0000019146
Lan-Tel Communications Inc.
1400 Providence Highway, Building 3, Suite 3100
Norwood MA 02062
United States

Bill To: Auditing Department
One City Hall
Room M-4
Boston MA 02201
United States
Ship To: Purchasing Department
One City Hall
Room 808
Boston MA 02201
United States
Attention: Not Specified

Tax Exempt? Y

State Tax Exempt ID: 04-6001380

Contract ID: 000000000000000000045548

Line-Sch	Item/Description	Quantity	UOM	PO Price	Extended Amt	Due Date
1 - 1	Furnish and install (1) Mitsubishi Model #PKA-A30KA7 interior cooling and heating with a 2.5 ton wall mount ductless air conditioning unit.	1.00	EA	4700.00	4700.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				
2 - 1	Furnish and install (1) Mitsubishi Model #PUY-A30NHA7 exterior condensing unit	1.00	EA	4661.00	4661.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				
3 - 1	Furnish and install (1) 30 amp 1 phase 208-230 volt circuit and disconnect condenser unit	1.00	EA	1500.00	1500.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				
4 - 1	Furnish and install (1) 20 amp 1 phase circuit to interior air handler	1.00	EA	2000.00	2000.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				
5 - 1	Furnish and install HVAC piping and condensate pump	1.00	EA	3800.00	3800.00	03/14/2018
	55940-200-231100-510R-2305-2017-HLS17002	1.00				



City of Boston Purchase Order

City of Boston

Purchasing Department
One City Hall
Room 808
Boston MA 02201
United States

Dispatched		
Purchase Order	Date	Revision
BOSTN-0000688689	2018-03-14	
Payment Terms	Freight Terms	
Net 30	DES PPD	
Buyer		
Chan,Joey		

Vendor: 0000019146
Lan-Tel Communications Inc.
1400 Providence Highway, Building 3, Suite 3100
Norwood MA 02062
United States

Bill To: Auditing Department
One City Hall
Room M-4
Boston MA 02201
United States
Ship To: Purchasing Department
One City Hall
Room 808
Boston MA 02201
United States
Attention: Not Specified

Tax Exempt? Y

State Tax Exempt ID: 04-6001380

Contract ID: 000000000000000000045548

Line-Sch	Item/Description	Quantity	UOM	PO Price	Extended Amt	Due Date
----------	------------------	----------	-----	----------	--------------	----------

Total PO Amount

****The above Purchase Order number must be included on all invoices to ensure accurate and timely payment.****

Official Approvals		
I certify that all records regarding this procurement are on file	Approved as to availability of appropriation	
Gerard Bonaceto	Sally Glora	3/15/2018
Department Head/Purchasing Agent/BPS Business Manager	City Auditor/BPS Business Manager	

This is not a valid purchase order without the above signatures.